

DEMOLITION &
d&ri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

A guide for buyers and
users of demolition
and recycling equipment

Published by:

DEMOLITION &
d&ri
RECYCLING INTERNATIONAL

Price: £50.00, US\$70.00, €60.00

khl

Demand durability



Zaxis-6.
No compromise

Demand durability without compromising on the cost of ownership. With many key components reinforced for added protection, the ZX350LC-6 high reach demolition excavator achieves exceptional levels of availability.

Zaxis-6: designed and engineered for your needs.

Learn more at www.hitachicm.eu

HITACHI

Reliable solutions

KHL TEAM

EDITORIAL

EDITOR: Steve Ducker, UK Head Office
Tel: +44 (0)1892 786210
e-mail: steve.ducker@khl.com
Twitter: @KHL_DRI

SPECIALIST WRITERS:

Thomas Allen, Lindsey Anderson, Andy Brown, Alex Dahm,
Mike Hayes, Cristián Peters, D. Ann Shiffier, Euan Youdale

EDITORIAL DIRECTOR: Paul Marsden
PUBLISHER: James King

CONTENTS

2019-2020



DEMOLITION & d&ri RECYCLING INTERNATIONAL BUYERS' GUIDE

SALES

ADVERTISEMENT MANAGER:

Simon Kelly, UK Head Office
Tel: +44 (0)1892 786223
e-mail: simon.kelly@khl.com
UK (EXC NI), BENELUX:
Eleanor Shefford
Tel: +44 (0)1892 786236
e-mail: eleanor.shefford@khl.com

CHINA:

Cathy Yao
Tel: +86 10 6553 6676
e-mail: cathy.yao@khl.com

FRANCE:

Hamilton Pearman
Tel: +33 1 45 93 08 58
e-mail: hpearman@wanadoo.fr

ITALY:

Fabio Potestà
Tel: +39 010 570 4948
e-mail: info@mediapointsr.it

JAPAN:

Michihiro Kawahara
Tel: +81 (0)3 3212 3671
e-mail: kawahara@rayden.jp

KOREA:

CH Park
Tel: +82 2 730 1234
e-mail: mci@unitel.co.kr

NORDIC COUNTRIES:

Bridget Leary
Tel: +44 (0)1892 786219
e-mail: bridget.leary@khl.com

SPAIN:

Mike Posener
Tel: +353 86 043 1219
e-mail: mike.posener@khl.com

TURKEY:

Emre Apa
Tel: +90 (0)532 324 36 16
e-mail: emre.apa@apayayincilik.com.tr

CENTRAL EUROPE/NORTHERN

IRELAND: Simon Battersby
Tel: +44 (0)1892 786232
e-mail: simon.battersby@khl.com

USA/CANADA:

Matt Burk
Tel: +1 312 496 3314
e-mail: matt.burk@khl.com

WIL Holloway

Tel: +1 312 929 2563
e-mail: wil.holloway@khl.com

Thomas Kavooras

Tel: +1 312 929 3478
e-mail: thomas.kavooras@khl.com

Alister Williams

Tel: +1 312 860 6775
e-mail: alister.williams@khl.com

VP GLOBAL SALES:

Trevor Pease
e-mail: trevor.pease@khl.com

Welcome to the *D&Ri Buyers' Guide*, which is the sole worldwide listing of tools and equipment for the demolition and C&D waste recycling industry. This makes it an invaluable resource for industry professionals, containing information on the leading brands, from skid steer loaders through to the latest specialist demolition attachments.

5 ABOUT KHL

7 ABOUT D&Ri

8 CONVERSION TABLES

11 DEMOLITION AND RECYCLING ATTACHMENTS

89 CRUSHING AND SCREENING

115 CONSTRUCTION EQUIPMENT

156 SUBSCRIBE TO D&Ri

177 CONTACT DETAILS

KHL OFFICES

UNITED KINGDOM (HEAD OFFICE)

Southfields,
Southview Road,
Wadhurst, East Sussex
TN5 6TP, UK.
Tel: +44 (0)1892 784088
Fax: +44 (0)1892 784086
www.khl.com

USA OFFICE

KHL Group Americas LLC
3726 E. Ember Glow Way,
Phoenix, AZ 85050, USA.
Tel: +1 480 659 0578
trevor.pease@khl.com

SOUTH AMERICA OFFICE

KHL Group Américas LLC
Av. Manquehue Sur 520, of.
205, Las Condes, Santiago,
Chile
Tel: +56 9 7798 7493
cristian.peters@khl.com

CHINA OFFICE

KHL Group China
Room 769, Poly Plaza,
No. 14, South Dong Zhi Men
Street, Dong Cheng District
Beijing, PR China 100027
Tel: +86 (0)10 6553 7678
cathy.yao@khl.com

EDITOR'S NOTE

The *D&Ri Buyers' Guide* has been compiled using information supplied by the manufacturers listed to KHL's custom developed online live database and by specialist industry observers and analysts. KHL accepts no responsibility for any errors or omissions that may have resulted. Manufacturers on the database are invited to add, update or delete product entries at any time. The next *D&Ri Buyers' Guide* will be published in 2020 and any manufacturers not currently on the database should contact steve.ducker@khl.com

MEMBER OF



Price: £50.00, US\$70.00,
€60.00

© Copyright KHL Group 2019
ISSN 1465 9778



ARMS YOUR FLEET FOR THE TOUGHEST MISSIONS



The KHL portfolio



KHL is the leading provider of construction and power information with a portfolio that comprises magazines, websites, newsletters, directories, market studies, conferences, awards and exhibitions.

Established in 1989, KHL Group is the leading supplier of international construction information in the world. It has achieved rapid growth through market focus and an intense knowledge of the world market. Editorial quality and independence from commercial pressures is why KHL's magazines enjoy a loyal readership which is the foundation of long-term success for a publishing company.

KHL Group is a diversified media company that delivers information in whatever format the market demands. Using its strong market-leading magazine brands, KHL has expanded into digital magazines, newsletters, apps, directories, new media technologies, exhibitions, conferences, awards and contract publishing.

KHL has introduced professional publishing practices to the markets it serves. It was the first publisher in the construction industry to launch a website in the early nineties, and the first to be accredited with the acclaimed BPA International independent circulation audit in specific markets. KHL was also the first publisher in any sector to offer digital magazines, and to have those subscriptions independently audited. KHL constantly monitors growth markets and offers advertisers proven and trustworthy routes to their customers within those markets.

KHL Group, and any of its individual titles, are members of the following associations; Specialized Carriers & Rigging Association (SC&RA), Association of Equipment Manufacturers (AEM), European Demolition Association (EDA), National Demolition Association (NDA), Committee for European Construction Equipment (CECE), European Association of Heavy Haulage, Transport and Mobile Cranes (ESTA), European Rental Association (ERA), Construction Equipment Association (CEA), Periodicals in Construction and Agriculture (PICA), Association of Equipment Distributors (AED), Crane Rental Association of Canada (CRAC), Associated Wire Rope Fabricators (AWRF), International Powered Access Federation (IPAF), American Rental Association (ARA), European Confederation of Equipment Distributors (ECED), Hire Association Europe (HAE) and others.

OFF HIGHWAY RESEARCH

Off-Highway Research is KHL Group's specialist market intelligence arm. Formed in 1981 as part of The Economist Intelligence Unit (EIU), Off-Highway Research is a management consultancy specialising in the research and analysis of international construction, and agricultural equipment markets, and is the largest of its kind in the world.

MAGAZINES

- Access International
- American Cranes and Transport
- Access Lift and Handlers
- COMPRESSORtech2
- Concreto LatinoAmericana
- Concreto Latino Americana
- Construction Europe
- Construcción LatinoAmericana
- Construção Latino American
- Demolition and Recycling International
- Diesel Progress International
- Diesel Progress North America
- International Construction
- International Cranes and Specialized Transport
- International Construction Turkiye
- International Rental News
- New Power Progress
- Vinc Proje Tasimaciligi

WEBSITES

- AmericanCranesandTransport.com
- COMPRESSORTech2.com
- ctssnet.net
- DieselGasTurbine.com
- DieselandGasTurbineGuide.net
- DieselProgress.com
- KHL.com
- NewPowerProgress.com
- OffHighwayResearch.com
- OffHighway-Store.com

EVENTS

- ALH Conference and Awards
- China International Crane Summit
- Cranes and Transport Latin America Conference
- Demolition Conference Turkey
- European Rental Awards
- ESTA Awards of Excellence
- International Awards for Powered Access
- International Cranes & Transport Asia Pacific
- International Rental Conference Asia
- International Tower Cranes Conference
- Lift & Move USA
- Tower Cranes North America
- World Crane and Transport Summit
- World Demolition Summit

NEWSLETTERS

- Access International Newsletter
- Access, Lift & Handlers Newsletter
- COMPRESSORTech2 News
- Construcción Latinoamericana
- Construção Latino-American
- Demolition & Recycling International Newsletter
- Diesel Progress Newsletter
- Diesel & Gas Turbine Worldwide News
- ERA Rental Weekly

- International Rental News Newsletter
- NewPowerProgress
- World Construction Week
- World Construction Week China
- World Crane Week
- KHL Crane Market

EVENT NEWSLETTERS

- APEX Daily & Preview
- Bauma China Daily & Preview
- Bauma Daily & Preview
- bC India Daily & Preview
- Conexpo Daily & Preview
- Intermat Daily & Preview
- IRE Daily & Preview

EXHIBITIONS

- APEX
- APEX Asia
- International Rental Exhibition

DIRECTORIES

- Access Yearbook
- American Cranes & Transport Sourcebook
- Demolition and Recycling Buyers' Guide
- Global Construction Guide
- International Concrete Construction
- The Rental Book
- World Crane Guide

TOP LISTS

- Access 50
- Access m20
- ACT Crane 100
- ACT Transport50
- ACT Specialized Lifting 50
- ACT Tower Crane 50
- ACT Transport 50
- ALH 20/20
- CE-100
- D&R100
- IC 50
- IC m20
- IC Transport 50
- iC Top200
- IRN 100
- Scaffold 20
- Yellow Table

SURVEYS

- CE Barometer
- ERA/IRN Rental Tracker
- Marine Propulsion Order Survey
- Mechanical Drive Order Survey
- Power Generation Order Survey
- Rental Rates Survey
- Rental Confidence Survey

MARKET WEBSITES

- KHL Crane Market

For more information about KHL's portfolio visit: www.khl.com



» 4 t at 36 m

PRECISE DEMOLITION

MODERN LONGFRONT-DEMOLITION MATERIAL HANDLER

870E



Telehandler
5,5 t

Balancer
130-300 t

Material Handling
17-160 t

Duty Cycle Crane
13,5-300 t

Crawler Crane
50-300 t

Telescopic Crane
16-120 t

Mobile Harbour Crane
300 t



Alfred Endl



SENNEBOGEN
Maschinenfabrik GmbH

Sennebogenstraße 10
94315 Straubing

→ alfred.endl@sennebogen.de

SENNEBOGEN

DEMOLITION &
d&ri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

**DEMOLITION
AND RECYCLING
ATTACHMENTS**

ATTACHMENTS

BREAKERS	12
CONCRETE CRUSHERS	49
CONCRETE CUTTERS	64
CONCRETE PULVERISERS	66
DEMOLITION SHEARS	77

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Arden	AB282	25	55	3-6	0.69	1350	70	n/s	n/s
NPK	E 102	39	86	0.5	n/s	777	n/s	n/s	n/s
D&A	6V	55	121	0.5-2	n/s	n/s	40	18-25	59-127
Arden	AB0082	55	121	2-6	n/s	n/s	n/s	n/s	n/s
Brokk	BHB 55	55	121	n/s	0.1	n/s	n/s	n/s	n/s
Yuci HC	YC 50	55	121	0.7-1.1	0.12	900	40	n/s	n/s
Socomec	DMS 50	60	132	0.7-1.2	0.12	750	38	17-25	120
Northerntrack	FX-6 Pro	60	132	0.5-1.2	n/s	n/s	40	18-25	60-130
Omal	HB 66	60	132	0.8-2	0.15	n/s	40	12-25	105-115
Kubota	KXB 300 N	60	132	0-1	0.13	n/s	n/s	n/s	n/s
Rotair	OLS 50	60	132	0.8-1.2	0.12	893	36	n/s	130-150
Brokk	SB 52	60	132	0.5	0.1	n/s	n/s	n/s	n/s
Promove	XP 60	60	132	0.6-1.6	0.17	240	38	10-15	100-110
NPK	E-106	62	137	0.7-1	n/s	872	41	15-20	180
Gehl	EBX150	64	141	n/s	0.2	n/s	n/s	12-23	n/s
MSB	Saga 10H	64	141	0.8-3	n/s	n/s	38	10-16	100-110
Bobcat	HB280	65	143	0.8-1.2	0.81	866	37	13.0-23.0	120
Montabert	SC6	65	143	0.7-1.2	n/s	996	37	12-23	110
Daemo	BO6	68	150	0.5-1.2	n/s	932	40	10-22	n/s
FRD	FX15	69	152	0.5-1.5	n/s	924	36	10-28	100-140
FRD	FX15 Top	69	152	0.5-1.5	n/s	816	36	n/s	n/s
Rammer	111	70	154	0.8-1.8	n/s	781	36	n/s	n/s
Sandvik	BR 111	70	154	0.8-1.8	n/s	781	36	15-33	80-130
Dongyang	DYB-50	70	154	0.8-2.5	n/s	899	36	10-20	80-100
Dongyang	DYB-50T	70	154	0.8-2.5	n/s	1180	36	10-20	80-100
Caterpillar	H25D	70	154	0.8-1.1	0.17	781	36	15-25	165
Indeco	HP 100	70	154	0.6-2.5	0.15	1100	n/s	n/s	n/s
Jisung	JSB10D	70	154	0.8-2.5	0.2	947	40	15-25	90-120
Kinshofer	KSB 1	70	154	0.5-2.5	0.28	900	n/s	13-20	100
Rich Power	RPB10D	70	154	0.8-2.5	0.2	947	40	15-25	90-120
Soosan	SB 10	70	154	n/s	0.09	947	n/s	15-30	90-120
Hammer	SB70	70	154	0.5-2.5	0.28	900	40	13-20	100
Takeuchi	TKB 52	70	154	0.8-1.8	n/s	781	36	15-33	100-120
Komac	TOR 1V	70	154	0.5-1.5	0.17	n/s	40	15-25	90-120
Sandvik	BR108	70-85	n/s	0.8-1.8	0.27	821	104	12-30	100-140
Jisung	JSB10T	72	159	0.8-2.5	0.2	1135	40	15-25	90-120
Komac	KB 100V	72	159	0.5-1.5	0.16	n/s	40	15-25	90-120
Rich Power	RPB10T	72	159	0.8-2.5	0.2	1135	40	15-25	90-120
Rammer	108	75	165	0.8-1.8	n/s	821	104	12-30	100-140
Italdem	GK 75 S	75	165	0.5-2	0.16	n/s	40	13-25	95-105
Prodem	PRB008	75	165	0.7-1.5	0.11	n/s	42	12-22	100-130
Rammer	R01P	75	165	0.8-2	n/s	920	40	15-25	80-120
Arrowhead	S 10	75	165	0.7-1.5	0.25	1180	40	n/s	n/s
Eusiti	SGK-75S	75	165	0.5-2	0.16	n/s	40	13-25	95-105
Okada	Okada 150	76	168	0.7-1.5	n/s	970	40	12-25	60-130
Okada	OKB 300	77	170	1.2-2.5	n/s	951	n/s	n/s	n/s
Globram	RM45s	78	172	0.6-2.2	0.15	1007	45	16-38	108-125
Komac	TOR 1H	78	172	0.5-1.5	0.17	n/s	40	15-25	90-120
Komac	TOR 1S	78	172	0.5-1.5	0.17	n/s	40	15-25	90-120
Everdigm	EHBO08NA	79	174	0.6-1.5	0.11	n/s	42	12-30	100-130
Dehaco	IBEX 70GS	79	174	0.8-1.5	n/s	380	38	10-16	100-110
Bento	BKB 100 S	80	176	0.5-1.5	0.17	955	40	n/s	n/s
Everdigm	EHBO08	80	176	0.6-1.5	0.11	n/s	42	12-30	100-130
Indeco	HP 150 FS	80	176	0.7-3	0.23	n/s	45	15-40	160
Idromeccanica	IMI 9 M	80	176	0.7-2	0.28	930	40	18-38	100-135
Komac	KB 100H	80	176	0.5-1.5	0.16	n/s	40	15-25	90-120
Komac	KB 100S	80	176	0.5-1.5	0.16	n/s	40	15-25	90-120
Stanley	MB156	80	176	0.9-2.7	0.24	1069	44	15-38	124-144
Inan Makina	MTB 9	80	176	0.75-1.5	0.12	n/s	38	15-30	120
Ramtec	RT 90	80	176	0.7-2	0.18	1100	40	n/s	n/s
SkanCraft	SCB1	80	176	0.5-2	0.13	n/s	40	12-25	90-120
Kwanglim	SG200S	81	179	0.9-3	0.22	1164	45	14-25	82-118
Top	A 70	85	187	1.2-2	0.17	n/s	45	n/s	n/s
Dongyang	DYB-70	85	187	1.2-3	n/s	1010	45	15-25	100-120

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Gehl	EBX275	85	187	n/s	0.37	n/s	n/s	19-34	n/s
NPK	HO6X	85	187	1.1-1.6	n/s	n/s	40	10-15	110
Idromeccanica	IMI 9 HP	85	187	0.7-2	0.18	1100	45	18-28	80-110
Komatsu	JTHB10-3	85	187	1-2	0.2	n/s	45	20-30	70-140
Ramtec	RT 92	85	187	0.7-2	0.18	1100	45	n/s	n/s
Kwanglim	SG200	85	187	0.9-3	0.41	1012	45	14-25	82-118
Promove	xP 70	85	187	0.8-1.8	0.21	270	42	15-25	110-130
Jisung	JSB30D	86	190	2.5-4.5	0.32	1170	53	25-50	90-120
Dongyang	DYB-70T	87	192	1.2-3	n/s	1210	45	15-25	100-120
Bobcat	HB380	88	194	0.8-1.7	1.32	897	n/s	15-30	120
JAB	JB7T III	88	194	0.8-1.5	n/s	n/s	40	15-25	80-100
Globram	RM45	88	194	0.8-2.8	0.2	1007	45	16-38	108-125
Okada	TOP21LT	88	194	0.7-2.3	0.2	1220	45	15-34	90-120
Rammer	155	90	198	0.8-1.8	n/s	884	36	15-33	80-130
Rammer	155E	90	198	0.8-1.8	n/s	884	36	15-33	80-130
Arden	AB0102	90	198	0.8-1.5	n/s	n/s	40	n/s	90-120
Bento	BGK 85	90	198	1-3	0.2	1085	n/s	n/s	n/s
Bento	BGK 85 S	90	198	1-3	0.2	1085	n/s	n/s	n/s
Omal	HB 86I	90	198	1.2-2.2	0.18	n/s	45	12-30	105-115
Komatsu	JTHB08-3	90	198	7-1.5	0.14	n/s	40	18-25	60-130
Ramtec	MH7	90	198	0.8-1.8	n/s	n/s	36	15-33	80-130
Promove	P3 SH	90	198	0.8-2.4	0.17	260	46	15-20	120
Epiroc	SB 102	90	198	1.1-3	n/s	571	45	16-35	100-150
Soosan	SB10 II	90	198	0.8-2.5	n/s	1150	40	15-30	90-120
Montabert	SC8	90	198	1-1.7	n/s	897	45	15-30	120
Takeuchi	TKB 52-S	90	198	0.8-1.8	n/s	884	36	15-33	100-120
Toku	TNB-08	90	198	0.7-1.5	n/s	n/s	40	18-25	60-130
Jisung	JSB20D	92	203	1.2-3	0.29	1000	45	20-30	90-120
Jisung	JSB20T	92	203	1.2-3	0.29	1262	45	20-30	90-120
Rich Power	RPB20D	92	203	1.2-3	0.29	1000	45	20-30	90-120
Rich Power	RPB20T	92	203	1.2-3	0.29	1262	45	20-30	90-120
Okada	Okada 200	94	207	1-2	n/s	1070	40	12-25	90-120
NPK	PH-06	94	207	1-2	n/s	991	42	15-35	n/s
Bento	BGK 86	95	209	1-3	0.2	1115	n/s	n/s	n/s
Bento	BGK 86 P	95	209	1-3	0.2	1115	n/s	n/s	n/s
Socomec	DMS 95/2	95	209	1.2-1.8	0.24	1000	45	27-40	120
Epiroc	EC 40	95	209	1-3	n/s	703	42	15-35	110-130
Yuci HC	YC 100	95	209	1.2-2.2	0.18	1110	45	n/s	n/s
Kwanglim	SG300S	96	212	1.2-4	0.49	1321	57	20-40	82-118
A-Ward	AWB200	97	214	0.7-1.3	0.27	n/s	40	n/s	78-107
JAB	JB8T III	97	214	0.8-2	n/s	n/s	45	15-25	80-100
Yujin Tech	YJB 150	97	214	0.8-3	0.4	1113	46	20-30	80-110
All-Kor	AKB 10	98	216	0.8-1.5	n/s	n/s	40	15-25	130
OSA Demolition Equipment	HB 100	98	216	0.5-1.8	0.17	970	40	12-28	80-120
Indeco	HP 150 FS H/ Duty	98	216	0.7-3	0.23	n/s	45	15-40	160
Indeco	HP 200 FS H/ Duty	98	216	0.7-3	n/s	n/s	45	n/s	160
JAB	JB7S III	98	216	0.8-1.5	n/s	n/s	40	15-25	80-100
Top	A 70 S	100	221	1.5-2.5	0.17	n/s	45	n/s	n/s
Brokk	BHB 105	100	221	n/s	0.16	n/s	n/s	n/s	n/s
Dowin	DW 20SL	100	221	1.2-3	0.3	1090	45	20-30	90-120
Dongyang	DYB-50S	100	221	0.8-2.5	n/s	1087	36	10-20	80-100
Hydraram	FX-10	100	221	0.8-1.6	0.26	1180	36	10-20	80-100
NPK	H-08X	100	221	1.5-2.5	n/s	n/s	45	15-25	107
Kinshofer	KSB 2	100	221	1.2-3.5	0.4	1000	n/s	15-30	110
Rotair	OLS 95	100	221	1.3-2.2	0.23	1112	48	n/s	80-120
Ramtec	RT 100 S	100	221	1-3	0.19	1120	47	n/s	n/s
Arrowhead	S 20	100	221	1.5-3	0.35	1180	45	n/s	n/s
Hammer	SB100	100	221	1.2-3.5	0.4	1000	45	15-30	110
Kwanglim	SG300	100	221	1.2-4	0.68	1069	57	20-40	82-118
Promove	XP 101	100	221	1-2.5	0.35	270	42	15-25	100-110
Sandvik	BR211	100-120	n/s	1.2-2.6	0.34	910	119	14-40	100-140
FRD	FX25	101	223	1-2.5	n/s	1030	45	18-35	100-140
FRD	FX25 Top	101	223	1-2.5	n/s	939	45	n/s	n/s
Rammer	RO2P	101	223	1.3-3.3	n/s	1096	46	15-40	60-120

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
MSB	Saga 40H	200	441	2-5	0.45	858	59.5	30-45	90-120
Wimmer	WH 4	200	441	2.5-6	n/s	n/s	68	30-70	100
Yuci HC	YC 200	200	441	3.5-4.5	0.55	1440	57	n/s	n/s
Soosan	SB35 II	204	450	3-5.5	n/s	1452	60	30-60	100-130
Brokk	BHB 205	205	452	n/s	0.41	n/s	n/s	n/s	n/s
NPK	GH1	205	452	2.3-4	n/s	n/s	57	25-50	120
Sandvik	BR522	205-245	n/s	2.5-5.5	0.68	1140	150	20-70	110-150
Soosan	SB20 II SSL	206	454	1.2-3	n/s	1352	45	20-40	90-120
FRD	FX45 S	208	459	2.5-5.5	n/s	1167	60	n/s	n/s
FRD	FX45 XS	208	459	2.5-5.5	n/s	1167	60	n/s	n/s
Prodem	PRBQ40	209	461	2.5-6	0.45	n/s	58	30-50	110-140
Boohung	BH 600	210	463	2.8-4	0.41	n/s	60	30-60	90-120
Socomec	DMS 210	210	463	2.8-4.5	0.5	1200	62	40-55	120
Stanley	MBF5	210	463	2.22	0.74	1380	70	38-83	100 - 140
Rich Power	RPB43D	210	463	6-9	0.9	1518	75	50-90	120-150
Brokk	SB 202	212	467	1.6	0.41	n/s	n/s	n/s	n/s
Epiroc	EC 60	215	474	3-6	n/s	904	62	35-60	110-140
Epiroc	ES 60	215	474	3-6	n/s	n/s	62	35-60	110-140
Inan Makina	MTB 21	215	474	2.5-6	0.45	n/s	68	30-60	120
Komac	TOR 5V	215	474	3-5	0.51	n/s	58	30-50	100-130
All-Kor	AKB 40	216	476	2-3.5	n/s	n/s	53	25-40	150
JAB	JB10S III	216	476	1.5-3	n/s	n/s	53	25-40	90-120
Dongyang	DYB-100S-SL	217	478	2.5-4.5	n/s	n/s	n/s	n/s	n/s
Everdigm	EHBO4NA	217	478	2.5-6	0.45	n/s	58	30-50	110-140
Vulcan	V4GS	218	481	1.8-5.4	0.8	n/s	60	22,7-45	89-121
Rammer	522	220	485	2.5-5.5	n/s	1140	150	20-70	110-150
Steck	B 2	220	485	2.5-6	0.45	1271	68	n/s	n/s
Bento	BGK 210	220	485	3-6	0.52	1390	n/s	n/s	n/s
Bento	BGK 210 S	220	485	3-6	0.52	1390	n/s	n/s	n/s
Bento	BGK 211	220	485	3-6	0.52	1400	n/s	n/s	n/s
Bento	BGK 211 P	220	485	3-6	0.52	1400	n/s	n/s	n/s
Bento	BGK 211 PS	220	485	3-6	0.52	1455	n/s	n/s	n/s
Bento	BGK 211 S	220	485	3-6	0.52	1455	n/s	n/s	n/s
Italdem	GK 211 S	220	485	3-6	0.52	n/s	67	40-60	80-90
Italdem	GK 225 S	220	485	3-6	0.52	n/s	67	35-60	95-105
Bobcat	HB880	220	485	2.2-5.3	4.06	1188	65	30-65	120
Allied	HR 230	220	485	n/s	n/s	1170	60	n/s	n/s
Jisung	JSB35D	220	485	3-5.5	0.55	1238	60	30-60	100-130
Komac	KB 250V	220	485	3-5	0.49	n/s	58	30-50	100-130
Stanley	MB05	220	485	2.3-6	0.75	1350	67	38-83	100-140
Rich Power	RPB35D	220	485	n/s	0.55	1238	60	30-60	100-130
Eusiti	SGK-225S	220	485	3-6	0.52	n/s	67	35-60	95-105
Dongyang	DYB-210T-SL	223	492	3-5.5	n/s	n/s	n/s	n/s	n/s
Daemo	B40	224	494	3-4.5	n/s	1408	62	30-50	n/s
BTi	CX6	224	494	3-5	0.82	1360	62	45-90	140
Dowin	DW T40	224	494	3-5.5	0.55	1472	60	30-60	100-130
JCB	HM266Q	224	494	2.8-6	0.38	n/s	65	42-75	100-150
Jisung	JSB35S	224	494	3-5.5	0.55	1472	60	30-60	100-130
Pladdet	PDH 35 S	224	494	3-5.5	0.55	n/s	60	n/s	n/s
Soosan	SB30 II SSL	224	494	6.6-13.2	n/s	1422	53	25-50	90-120
Soosan	SB35 II TS-P	224	494	3-5.5	n/s	1472	53	30-60	100-130
Soosan	SB35TS-P	224	494	3-5.5	0.37	1472	60	n/s	n/s
JAB	JB15T III	225	496	2-3.5	n/s	n/s	60	30-60	100-130
Stanley	MB256	225	496	1.8-4.5	0.47	1295	64	34-60	96-117
Globram	RM56	225	496	2.5-5	0.43	1300	56	31-58	108-125
Arrowhead	S 40	225	496	3-5.5	0.7	1450	65	n/s	n/s
Epiroc	SBU 220	225	496	2.8-6	n/s	n/s	65	42-75	100-150
Montabert	SC22	225	496	2.2-5.3	n/s	1182	65	30-65	120
Rammer	555	228	503	3.2-8	n/s	1261	72	36-90	90-140
Rammer	555 Hot	228	503	3.2-8	n/s	1261	72	36-90	80-130
Rammer	555 Scaler	228	503	3.2-8	n/s	1261	72	36-90	80-130
Rammer	555E	228	503	3.2-8	n/s	1261	72	36-90	90-140
John Deere Construction	HH60C	228	503	n/s	n/s	n/s	n/s	n/s	80-130
Allied	AR 70 C XSF	230	507	n/s	n/s	1360	63	n/s	n/s

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Sandvik	BR455	230	507	2.7-5.2	n/s	n/s	56	40-70	100-170
Drago	DB-S 60	230	507	3-6	0.34	n/s	60	n/s	n/s
Indeco	HP 350 FS	230	507	1.7-6.5	0.5	n/s	56	30-60	160
Ramtec	MH23	230	507	2.7-5.2	n/s	n/s	56	40-70	100-170
Soosan	SG35	231	509	3-6	n/s	1472	60	30-65	100-130
Rammer	RO4P	232	512	3-6	n/s	n/s	60	30-60	70-130
Rotar	RHB 40	233	514	2.9-6	n/s	n/s	62	35-60	110-140
Chicago Pneumatic	RX4	233	514	2.9-6	0.45	1254	62	n/s	n/s
Komatsu	JTHB30S-3	235	518	2.4-4	n/s	n/s	58	n/s	n/s
Komatsu	JTHB40-3	235	518	3-4.5	0.75	n/s	64	30-55	100-160
Promove	P6 SB	235	518	3.2-5.5	0.34	340	64	30-45	90
Soosan	SB 40 BH	237	523	2.8-5	n/s	1507	68	n/s	n/s
Bento	BXP 250	240	529	3-5.5	0.43	1350	64	n/s	n/s
NPK	E203	240	529	2.7-5.4	n/s	n/s	66	30-65	127
NPK	GH2	240	529	2.7-5.4	n/s	n/s	66	25-65	160
Komac	TOR 5H	240	529	3-5	0.51	n/s	58	30-50	100-130
Komac	TOR 5S	240	529	3-5	0.51	n/s	58	30-50	100-130
Promove	XP 250	240	529	3-5.2	0.56	370	64	35-45	120-130
Genesis	GHB 500	241	531	2-6	0.68	n/s	67	38-83	110-146
Kwanglim	SG350	244	538	2.8-4	1.02	1348	68	30-50	98-127
D&A	17S	245	540	1.5-4	n/s	n/s	57	23-70	98-186
Allied	AR 70 C BSF	245	540	n/s	n/s	1360	63	n/s	n/s
Bento	BKB 250 S	245	540	2-4.5	0.5	1263	58	n/s	n/s
FRD	FX55	245	540	4-7	n/s	1264	68	40-85	120-160
FRD	FX55 Top	245	540	4-7	n/s	1264	68	n/s	n/s
Komac	KB 250H	245	540	3-5	0.49	n/s	58	30-50	100-130
Komac	KB 250S	245	540	3-5	0.49	n/s	58	30-50	100-130
AJCE	AB-350M	247	545	3-5.5	0.54	n/s	60	30-60	100-130
Soosan	SB40 II BH	247	545	4-7	n/s	1459	68	40-70	110-140
Everdigm	EHBO4	249	549	2.5-6	0.45	1403	58	30-50	110-140
Top	A 200 S	250	551	3.5-5.5	0.65	n/s	65	n/s	n/s
All-Kor	AKB 50	250	551	3.5-5.5	n/s	n/s	60	30-60	160
GB	GBN45T	250	551	3-5.5	n/s	n/s	60	30-60	100-130
Caterpillar	H45E	250	551	1.5-3.2	0.54	1017	50	25-62	170
OSA Demolition Equipment	HB 250	250	551	3-5.5	0.45	1280	65	30-60	100-130
Case	CH-2M	250	551	n/s	0.34	n/s	51	20-35	n/s
Idromeccanica	IMI 26 HP	250	551	3.5-8	0.6	1280	68	50-90	90-140
JAB	JB15S III	250	551	3.5-5.5	n/s	n/s	60	30-60	100-130
Jisung	JSB35T	250	551	3-5.5	0.55	1472	60	30-60	100-130
Jisung	JSB40D	250	551	4-7	0.69	1347	68	40-70	110-140
Kinshofer	KSB 6	250	551	3-8	0.95	1250	n/s	30-60	140
Tab	MT 265	250	551	3.5-5	0.4	1200	65	20-35	120-140
Rich Power	RPB35T	250	551	3-5.5	0.55	1472	60	30-60	100-130
Rich Power	RPB40D	250	551	4-7	0.69	1347	68	40-70	110-140
Ramtec	RT 250 HP	250	551	3.5-8	0.6	1280	68	n/s	n/s
Hammer	SB250	250	551	3-8	0.95	1250	65	30-60	140
SkanCraft	SCB5	250	551	2-4.5	0.7	n/s	70	30-60	110-165
Wlimmer	WH 5	250	551	2.5-6	n/s	n/s	70	30-60	120
Yuci HC	YC 250	250	551	4.5-5.5	0.79	1520	65	n/s	n/s
Gehl	EBX800	252	556	n/s	1.09	n/s	n/s	42-72	n/s
Everdigm	EHBO4H	255	562	2.5-8	0.45	n/s	58	50-75	110-140
Rotair	OLS 255	255	562	3.4-4.5	0.59	1496	67.5	n/s	90-130
Toku	TNB-3M	255	562	2-4.4	n/s	n/s	58	25-45	100-150
Okada	TOP35B	256	564	2-4	0.75	1550	61	49-64	110-165
Caterpillar	B6	259	571	3-6	0.68	1422	68	40-70	122
D&A	30 V	260	573	2-4.5	n/s	1513	70	n/s	n/s
D&A	40 V	260	573	3-6.5	n/s	1396	70	35-70	108-162
Arden	ABO292	260	573	3-6	n/s	n/s	70	n/s	110-165
Socomec	DMS 260	260	573	3.8-5.5	0.63	1300	68	n/s	n/s
Dongyang	DYB-210S-SL	260	573	3-5.5	n/s	n/s	n/s	n/s	n/s
Hydraram	FX-45 PRO	260	573	2.6-4.5	n/s	n/s	70	35-70	110-165
Giant Hydraulic Tech	GT20 Silence	260	573	2.5-4.5	n/s	n/s	53	25-50	90-120
Caterpillar	H55ES	260	573	2.5-6	0.81	1108	58	30-85	165
JCB	HMO26T	260	573	3-6.5	1.07	n/s	70	29-65	110-165

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
MSB	MS 220H	330	728	3-7	n/s	n/s	70	40-90	110-130
Arrowhead	S 60	330	728	5-8.5	1.1	1600	75	n/s	n/s
Epiroc	SBU 340	330	728	4.5-9	n/s	n/s	80	62-100	100-150
SkanCraft	SCB8	330	728	4.5-8	0.76	n/s	75	34-76	120-165
Eusiti	SGK-320S	330	728	4.5-9	0.75	n/s	80	45-85	95-105
Komac	TOR 6H	330	728	3.5-7	0.76	n/s	68	40-70	110-140
Komac	TOR 6S	330	728	3.5-7	0.76	n/s	68	40-70	110-140
Daemo	B50	333	734	3-6	n/s	1603	70	30-55	n/s
BTi	BX 8	333	734	3-8	1.1	1600	70	n/s	n/s
BTi	CX8	333	734	3-8	1.09	1520	70	45-90	140
D & A	40S	336	741	3-6.5	n/s	n/s	70	35-70	108-186
Allied	AR 75 B BR	336	741	n/s	0.48	1350	75	n/s	n/s
Soosan	SB40 II SSL	338	745	4-7	n/s	1640	68	40-70	110-140
Steck	B 3	340	750	3-6.5	0.84	1430	70	n/s	n/s
Doosan	DBX35	340	750	4-6	0.66	n/s	70	35-65	170
Caterpillar	H55E	340	750	2.5-6	0.81	1323	58	30-85	165
Stanley	MB10	340	750	3	1.35	1473	75	56-106	100-145
Tabe	MT 375	340	750	4.5-7	0.5	1300	610	65-75	130-135
MSB	SAGA 55H	340	750	4-7	n/s	n/s	68	35-50	95-130
Allied	HRO9	341	752	3.9-8.4	n/s	137	68	34-72	90-140
Stanley	MB556	341	752	3.2-7.2	1.02	1600	69	45-83	110-138
Soosan	SB43 II BH	341	752	6-9	n/s	1677	75	50-90	120-150
Dehaco	DBH 36	342	754	4-7	0.74	n/s	68	30-45	95/130
Kwanglim	SG400S	343	756	2.8-6	0.95	1778	75	40-90	78-127
Everdigm	EHBO5NA	344	759	3.5-8	0.7	n/s	68	35-65	130-170
Northerntrack	FX-55 Pro	345	761	3.6-6.5	n/s	n/s	75	40-110	120-165
Caterpillar	H55S	345	761	2.5	0.81	1108	58	30-85	100
JAB	JB20S III	345	761	5.5-6.5	n/s	n/s	68	35-70	100-130
Soosan	SB 43 BH	345	761	4-7	0.59	1699	75	n/s	n/s
Bento	BKB 300 S	346	763	3-6	0.75	1387	68	n/s	n/s
Komac	KB 300H	346	763	3.5-7	0.74	n/s	68	40-70	110-140
Komac	KB 300S	346	763	3.5-7	0.74	n/s	68	40-70	110-140
Boohung	BH 680	347	765	4-6	0.55	n/s	68	40-70	100-130
FRD	F6FT	350	772	5-9	n/s	n/s	75	50-150	100-160
FRD	F6LN	350	772	5-9	0.88	1400	75	50-150	100-160
Feel	Fine 5X	350	772	3-6	n/s	n/s	68	n/s	n/s
Omal	HB 275s	350	772	6-9	0.74	n/s	80	100	90
OSA Demolition Equipment	HB 350	350	772	6-9	0.75	1480	77	60-90	110-140
Rotair	OLS 350	350	772	4.5-6	0.83	1569	77.5	n/s	70-130
Yujin Tech	YJB 350BL	352	776	3.5-9	1.21	1636	75	40-80	100-130
MSB	MS 255H	355	783	3-8	n/s	n/s	75	60-85	110-130
Komac	TOR 7H	355	783	5-9	0.93	n/s	75	45-90	110-140
Komac	TOR 7S	355	783	5-9	0.93	n/s	75	45-90	110-140
Beilite	BLTB-75	357	787	6-8.5	n/s	1787	75	50-90	118-147
Allied	AR 75 B BSF	358	789	n/s	0.48	1640	75	n/s	n/s
JCB	HM386Q	360	794	4.5-9	0.6	n/s	80	60-100	100-150
Yujin Tech	YJB 350	360	794	3.5-9	1.21	1678	75	40-80	100-130
Case	CH-3M	363	800	n/s	0.47	n/s	58	25-45	n/s
Bento	BKB 350 S	365	805	4-9	0.9	1480	75	n/s	n/s
NPK	E204	365	805	4-7.8	n/s	n/s	76	45-100	130
FRD	F6 Top	365	805	3.5-10	0.88	1345	90	n/s	n/s
FRD	F6BHL	365	805	3.5-10	0.88	1345	75	50-150	100-160
NPK	GH3	365	805	3.6-6.8	n/s	n/s	76	45-100	130
Montabert	SC36	365	805	4-10	n/s	1379	76	55-100	125
Soosan	SB43 II SSL	368	811	6-9	n/s	1907	75	50-90	120-150
Bento	BGK 360 S	370	816	7-11	1	1590	n/s	n/s	n/s
Ramtec	BH40	370	816	4.6-9	n/s	n/s	80	40-120	90-140
Epiroc	EC 80	370	816	5-12	n/s	1097	80	60-90	120-150
Soosan	SB43 II	370	816	6-9	n/s	1869	75	50-90	120-150
Komac	TOR 7V	370	816	5-9	0.93	n/s	75	45-90	110-140
Bobcat	HB1180	372	820	4-5	10.5	1379	85	55-100	125
AIK-Kor	AKB 70 S	375	827	4.5-7	n/s	n/s	75	n/s	n/s
Daemo	B60	375	827	5-7	n/s	1635	75	35-70	n/s
Darda	C20 J	375	827	5-7	n/s	2110	n/s	100	500

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Dowin	DW T70	375	827	6-9	0.9	1860	75	50-90	120-150
Epiroc	ES 80	375	827	5-12	n/s	n/s	80	60-90	120-150
Feel	Fine 7BLX	375	827	5-8	n/s	n/s	72	n/s	n/s
Jisung	JSB43S	375	827	6-9	0.9	1860	75	50-90	120-150
Komac	KB 350H	375	827	5-9	0.88	n/s	75	45-90	110-140
Komac	KB 350S	375	827	5-9	0.88	n/s	75	45-90	110-140
Pladdet	PDH 43 S	375	827	6-9	0.9	n/s	76	n/s	n/s
Soosan	SB43 II TS-P	375	827	6-9	n/s	1899	40	50-90	120-150
Soosan	SB43TS-P	375	827	6-9	0.59	1859	75	n/s	n/s
Soosan	SG43	379	836	5-12	n/s	1899	78	50-90	120-150
Bento	BGK 361 S	380	838	7-11	1	1710	n/s	n/s	n/s
Dowin	DW 70BL	380	838	6-9	0.7	1518	75	50-90	120-150
Dongyang	DYB-400	380	838	6-9	n/s	1366	75	40-70	140-160
GB	GBN70T	380	838	6-9	n/s	n/s	75	40-80	100-140
Italdem	GK 361 S	380	838	7-11	1	n/s	85	75-100	90-100
Caterpillar	H65E	380	838	3-9	1.1	1306	68	40-115	165
Idromeccanica	IMI 38 ASIA	380	838	6-10	0.8	1300	78	60-95	70-130
Idromeccanica	IMI 38 HP	380	838	6-10	0.8	1300	78	60-95	70-130
Jisung	JSB43D	380	838	6-9	0.9	1518	75	50-90	120-150
Rotar	RHB 80	380	838	5.2-12	n/s	n/s	80	60-90	120-150
Ramtec	RT 380 HP	380	838	6-10	0.8	1300	78	n/s	n/s
Chicago Pneumatic	RX8	380	838	5.2-12	0.95	1510	80	n/s	n/s
WIMMER	WH 6	380	838	3-8	n/s	n/s	75	50-100	120
JAB	JB20SL	382	842	n/s	n/s	n/s	68	30-60	95-130
Dongyang	DYB-400T	384	847	6-9	n/s	1683	75	40-70	140-160
All-Kor	AKB 55	385	849	4-6	n/s	n/s	68	30-60	160
Sandvik	BR777	385	849	4.3-9.5	n/s	1449	80	40-120	90-140
Bobcat	HB1380	385	849	4-12	n/s	1489	85	65-120	125
Inan Makina	MTB 35	385	849	3-8	0.9	n/s	75	50-100	120
Takeuchi	TKB 402-S	385	849	4.6-9	n/s	1449	80	40-120	90-140
Toku	TNB-5M	385	849	3.8-6	n/s	n/s	75	35-60	100-160
Komac	KB 350V	388	856	5-9	0.88	n/s	75	45-90	110-140
Darda	C20 V	390	860	5-7	n/s	1833	n/s	100	500
Drago	DB-S 75	390	860	5-9	0.54	n/s	75	n/s	n/s
Giant Hydraulic Tech	GT30 Silence	390	860	4-7	n/s	n/s	70	40-70	110-140
Caterpillar	H65S	390	860	3	1.09	1324	68	40-115	100
Indeco	HP 1000 FS	390	860	3.5-10.5	n/s	n/s	75	n/s	170
Indeco	HP 600 FS	390	860	3.5-10.5	0.85	n/s	75	50-80	170
Case	CH-6M	390	860	n/s	1.36	n/s	76	40-70	n/s
Promove	P12 SB	390	860	5-10	0.67	280	80	40-100	80
Globram	RM75	390	860	4-10	0.71	1417	73	52-78	105-138
Yujin Tech	YJB 300SL	390	860	2-7	0.85	1572	68	30-50	90-130
Soosan	SB43 II BH-TS	392	864	6-9	n/s	1736	75	50-90	120-150
Okada	Okada 800	393	867	4.5-8	n/s	1609	75	35-75	120-170
Darda	C20 H	395	871	5-7	n/s	1790	n/s	100	500
Everdigm	EHBO6NL	395	871	5-11	1	n/s	80	45-90	130-170
Stanley	MB656	396	873	5.4-6.5	1.2	1689	76	60-91	117-131
Socomec	DMS 400	400	882	6-8.5	0.9	1455	80	70-95	120
Feel	Fine 6	400	882	5-7	n/s	n/s	72	n/s	n/s
Feel	Fine 6X	400	882	5-7	n/s	n/s	72	n/s	n/s
Inan Makina	MTB 36	400	882	3-8	0.9	n/s	75	50-100	120
Inan Makina	MTB 38	400	882	3-8	0.9	n/s	80	50-100	120
Prodem	PRB060-NL	401	884	5-11	1	n/s	80	45-90	130-170
Dongyang	DYB-400S	405	893	6-9	n/s	1684	75	40-70	140-160
Bobcat	HB2380	405	893	6-15	13.56	1587	95	75-125	130
Case	CH-4M	408	900	n/s	0.74	n/s	64	30-55	n/s
Brokk	BHB 455	410	904	n/s	0.86	n/s	n/s	n/s	n/s
Socomec	DMS 410	410	904	6.5-9.5	0.9	1550	80	n/s	n/s
Northerntrack	FX-70	410	904	6-9	n/s	1683	75	40-70	140-160
JAB	JB30BL	410	904	n/s	n/s	n/s	75	40-90	100-130
MSB	MS 250 H	410	904	3-8	0.9	1065	75	60-85	110-130
MSB	MS 250H	410	904	3-8	n/s	n/s	75	60-85	110-130
Taba	MT 475	410	904	6-10	0.75	1338	700	70-80	130-135
Toku	TNB-6M	410	904	5.5-8	n/s	n/s	75	40-70	100-160

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Width (mm)	Total Length (mm)
Hydraram	HMSH 10	0.11	0.8-2	180	210	340	n/s	2850
Hydraram	HMSH 20	0.17	2-3.5	230	260	450	n/s	n/s
Northerntrack	HCC-2V	0.18	2-4	280	n/s	177	n/s	1020
Sandvik	BC 504	0.2	2.5-6	312	315	460	1145	606
Ramtec	CC 4	0.21	2.5-6	312	n/s	460	n/s	n/s
Soosan	SMCO 2	0.24	1.5-2.5	387	250	26	n/s	1087
Hydraram	HMSH 30	0.26	3-8	285	300	600	n/s	n/s
Okada	CUT18	0.29	3-5	400	285	135	270	1250
Sandvik	BC 706	0.32	4-9	400	390	310	1230	885
Soosan	SMCO3 MC	0.32	3-5	433	90	333	n/s	1204
D&A	DFS O3	0.33	3-8	400	100	309	n/s	n/s
Northerntrack	HCC-3	0.35	4-7	358	n/s	216	n/s	1165
Ramtec	CC 6	0.36	4-9	400	n/s	750	n/s	n/s
FRD	VR4ER	0.4	2.5-8	350	295	320	n/s	1855
Inan Makina	CRS O4	0.5	5.5-9	450	n/s	2157	n/s	1295
Soosan	SMCO5	0.52	5-8	596	120	318	n/s	1357
Hydra Ram	HMSH 50 HR	0.52	5-9	430	450	880	n/s	n/s
Northerntrack	HCC-5V	0.55	5-10	480	n/s	196	n/s	1300
FRD	VM10ER	0.63	6-13	550	510	400	300	1525
Okada	CUT30V	0.7	6-13	525	325	300	300	1670
Okada	CUT30	0.71	6-10	518	295	658	n/s	1650
FRD	VR7ER	0.76	5-13	415	285	600	n/s	2080
Okada	C-100	0.97	13-15	605	400	380	n/s	1725
Northerntrack	HCS-12U	0.98	10-16	670	340	n/s	n/s	n/s
Northerntrack	HCC-10V	1.02	10-15	685	n/s	441	n/s	1550
Italdem	ITP 100	1.15	12-16	600	n/s	1345	n/s	1700
Okada	CUT50	1.18	11-17	598	335	934	n/s	2000
Soosan	SMC10	1.2	10-14	750	450	45	n/s	1900
FRD	VR15ER	1.21	9-19	450	340	610	n/s	2277
Okada	CUT50V	1.22	12-25	605	340	500	365	2000
FRD	VM13ER	1.27	13-16	635	670	550	404	1956
Northerntrack	HCC-13V	1.32	20-25	610	n/s	441	n/s	1750
LaBounty	BLS 2000	1.36	18-29	381-508	495	3188	n/s	n/s
Okada	C-200	1.4	18-21	705	460	720	n/s	1945
Italdem	ITP 150	1.4	16-22	710	n/s	1395	n/s	2010
FRD	VM16ER	1.6	15-22	680	720	1950	404	2035
Northerntrack	HCC-17V	1.68	16-21	820	n/s	588	n/s	1775
Boohung	BHMS80	1.7	18-26	353	n/s	2241	1281	2100
Inan Makina	CRS 17	1.75	14-20	880	n/s	2422	n/s	1870
Soosan	SMC25ORG	1.75	17-25	900	180	697	n/s	1956
Soosan	SMC25ORD	1.8	17-25	800	180	697	n/s	1907
Italdem	ITP 180	1.8	22-30	840	n/s	1594	n/s	2300
FRD	VM19ER	1.9	18-26	786	840	2340	454	2225
Arden	CU 2000 CB	1.9	18-27	710	470	318	n/s	2320
Caterpillar	MP318CC	1.93	18-25	368	645	1075	793	1972
Caterpillar	MP318D	1.94	18-25	549	645	1038	793	1935
Caterpillar	MP318	1.97	18-25	468	565	2511	793	2000
Northerntrack	HCS-19U	1.98	17-25	760	625	2354	n/s	n/s
Arden	CU 2000 BF	2	18-27	710	580	318	n/s	2410
FRD	VR18ER	2.12	12-30	480	380	950	n/s	2665
Northerntrack	HCC-22V	2.13	22-28	890	n/s	686	n/s	1900
Inan Makina	CRS 20M	2.15	20-35	900	n/s	3138	n/s	2070
LaBounty	BLS 3000	2.18	29-38	432-559	584	4025	n/s	n/s
Italdem	ITP 200	2.2	30-40	900	n/s	1794	n/s	2300
Okada	CUT82	2.24	20-28	835	543	1505	n/s	2675
Okada	CUT82V	2.25	20-35	850	550	600	480	2690
Inan Makina	CRS 20	2.3	20-35	900	n/s	3776	n/s	1885
Ramtec	CC 22	2.3	20-40	720	n/s	1600	n/s	n/s
Genesis	LXP 200	2.4	9-20	432	483	n/s	n/s	2515
Soosan	SMC300RG	2.45	25-32	950	180	797	n/s	2190
Rammer	RC 22	2.5	19-40	720	780	1600	2350	1590
Sandvik	BC 2022	2.5	19-40	720	780	1600	2350	1590
Soosan	SMC300RD	2.5	25-32	900	180	797	n/s	2276
FRD	VM25ER	2.5	25-33	930	940	2600	454	2575

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Width (mm)	Total Length (mm)
Arden	CU 2700 CB	2.6	26-37	810	560	380	n/s	2480
D&A	DFS 30	2.6	26-36	570	600	1594	n/s	n/s
Northerntrack	HCC-27V	2.64	29-35	1090	n/s	735	n/s	2115
Caterpillar	MP324CC	2.66	24-35	513	753	1520	793	2133
Caterpillar	MP324D	2.69	24-35	677	756	1427	793	2079
Caterpillar	MP324	2.74	24-35	642	680	3386	793	2194
Inan Makina	CRS 25	2.8	25-38	1080	n/s	3481	n/s	2380
Boohung	BHMS100	2.8	27-36	585	n/s	3288	1650	2650
Arden	CU 2700 BV	2.84	26-37	600	600	300	n/s	2560
Arden	CU 2700 BF	2.84	26-37	800	580	350	n/s	2630
Arden	CU 2700 BP	2.9	26-37	593	610	248	n/s	2570
Italdem	ITP 250	2.9	35-50	1100	n/s	1993	n/s	2700
FRD	VR26ER	2.93	23-38	575	475	1460	n/s	3227
Northerntrack	HCS-28U	2.96	24-37	890	745	3776	n/s	n/s
Okada	CUT 100-FR	3	n/s	1030	n/s	1687	490	2870
Caterpillar	MP332CC	3.22	32-50	927	869	1367	1005	2175
FRD	VM32ER	3.3	32-40	1010	1040	3500	490	2734
Caterpillar	MP332D	3.34	32-50	1078	909	1347	1005	2253
Genesis	LXP 300	3.4	20-32	559	610	n/s	n/s	2800
D&A	DFS 403.4	36-45	600	600	3348	n/s	n/s	
FRD	VR42EF	3.5	25-50	570	570	6000	n/s	3500
Northerntrack	HCS-35U	3.54	32-54	1050	785	5196	n/s	n/s
FRD	VR37ER	3.76	30-45	670	710	1650	n/s	3726
Northerntrack	HCC-40V	3.82	36-49	1370	n/s	834	n/s	2520
Caterpillar	MP30CC	3.85	35-60	540	890	1780	1010	2800
Caterpillar	MP30CR	3.86	35-60	770	920	1740	1010	2770
Caterpillar	MP345CC	4.31	45-65	1023	913	1670	1005	2344
FRD	VM42ER	4.4	38-50	1165	1140	1300	490	3080
Caterpillar	MP345D	4.53	45-65	1183	954	1670	1005	2367
FRD	VR42ER	4.65	30-55	740	570	8900	n/s	3744
Genesis	GRX 395	4.76	41	610	648	n/s	n/s	3200
FRD	VR56EF	4.8	30-60	712	712	7000	n/s	4045
Northerntrack	HCS-48U	4.82	42-62	1360	1100	6276	n/s	n/s
Northerntrack	HCC-50V	4.85	50-65	1500	n/s	1177	n/s	2690
Genesis	LXP 400	5	27-45	610	686	n/s	n/s	3000
Caterpillar	MP365CC	5.66	65-90	1232	1051	2017	1100	2663
FRD	VM60ER	5.8	50-90	1285	1280	1400	540	3415
Genesis	LXP 500	5.9	32-54	686	711	n/s	n/s	3100
FRD	VR56ER	5.96	35-60	830	712	10000	n/s	4338
Genesis	GSS 660	6.05	n/s	813	814	14460	n/s	n/s
Caterpillar	MP365D	6.12	65-90	1384	1089	2031	1100	2678
Northerntrack	HCS-65U	6.23	52-86	1430	1170	10052	n/s	n/s
FRD	VR76EF	6.3	40-100	810	810	8150	n/s	4200
Caterpillar	MP40CR	6.37	60-85	800	1100	4650	2150	3500
Caterpillar	MP40CC	6.37	60-85	720	1100	4310	2340	3500
Northerntrack	HCC-65V	6.43	66-85	1680	n/s	1422	n/s	2950
FRD	VR76ER	7.57	45-100	870	810	12000	n/s	4436
FRD	VR90EF	7.7	45-110	850	850	10800	n/s	4850
Genesis	LXP 800	7.9	41-68	1016	889	n/s	n/s	3550
Northerntrack	HCC-85V	8.55	85-105	1830	n/s	1814	n/s	3160
FRD	VM80ER	8.7	70-110	1520	1380	5900	635	3780
FRD	VR90ER	10	55-110	1005	850	13200	n/s	5355
Northerntrack	HCC-100V	10.75	86-130	2050	n/s	2157	n/s	3350
Northerntrack	HCC-120V	12.2	86-150	2305	n/s	2354	n/s	3700
FRD	VR130ER	13.5	120	1140	1270	14500	n/s	6300
Genesis	GSS 2500	18.6	n/s	1168	1220	29430	n/s	n/s
FRD	VR200ER	19.4	n/s	1300	1300	17000	n/s	7000
Caterpillar	MP332	n/s	32-50	927	869	1367	1005	2253

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
Rammer	RPV03S	0.14	1.5-4	300	340	200	770
BTi	MCP300	0.15	1.5-4	300	300	239	770
Dehaco	MCP 300	0.15	2-4	300	340	n/s	n/s
Daemo	DMC10	0.16	1.5-2	330	n/s	169	n/s
Daemo	DMC11	0.17	1.5-2	360	n/s	219	n/s
Italmek	IDF2	0.19	2-5	320	330	n/s	900
Daemo	DMC30	0.27	2.5-3.5	410	n/s	249	n/s
Okada	OSC-35AV	0.28	3-5	430	90	305	1245
Daemo	DMC31	0.31	2.5-3.5	430	n/s	278	n/s
Verdelli	D.I. 3	0.35	3.6-4.4	350	n/s	299	1350
A-Ward	AMP1000R	0.4	2-10	220	n/s	n/s	n/s
OSA Demolition Equipment	MCO5 Pulverizer	0.4	4-8	310	n/s	n/s	1020
Italmek	IDF4	0.42	3.5-9	440	460	n/s	1200
Daemo	DMC50	0.42	4-5.5	520	n/s	450	n/s
Daemo	DMC51	0.42	4-5.5	530	n/s	318	n/s
SkanCraft	SCMT4-10 M	0.43	4-10	310	250	n/s	1020
BTi	MCP480	0.49	4-10	480	480	707	1225
Rammer	RPV07S	0.49	4-10	480	515	600	1225
Dehaco	MCP 480	0.49	5-10	480	515	n/s	n/s
Verdelli	C.D_ F 3 R	0.5	3.6-4.4	370	n/s	n/s	1100
SkanCraft	SCMT4-10	0.5	4-10	310	250	785	1020
OSA Demolition Equipment	FPV 6	0.5	6-10	510	330	n/s	1300
GB	GBPRO50F	0.5	4.5-8	630	n/s	349	1245
Prodem	PHPO50	0.5	4.5-8	630	n/s	428	1245
Trevi Benne	F 07	0.5	n/s	n/s	450	n/s	650
Prodem	PHPO80	0.52	7-10	478	n/s	388	1275
All-Kor	AKR 500M	0.55	4.5-8	508	100	353	1384
Hydraram	HFP-5V	0.55	6-10	475	480	245	1330
Verdelli	DI 5	0.55	6-12	400	n/s	498	1400
Prodem	PHPO50R	0.55	4.5-8	508	n/s	498	1382
All-Kor	AKR 500F	0.58	4.5-7	745	252	333	1570
OSA Demolition Equipment	RV 6	0.6	7-12	520	n/s	n/s	1410
Globram	RM415	0.6	7-16	n/s	525	n/s	n/s
Northerntrack	CP10	0.6	n/s	6-10	550	330	400
Trevi Benne	FM 10	0.6	5.5-12	550	580	269	n/s
Okada	OSC70A	0.61	6-9	590	98	508	1550
VTN	FPO7	0.63	6-13	550	510	399	1525
Promove	CR 800	0.63	6-13	550	n/s	628	510
Okada	OSC-70AV	0.65	6-9	600	100	450	1580
All-Kor	AKR 800F	0.65	5.5-10	745	310	382	1604
VTN	MT05 P	0.66	5-11	437	331	392	1348
BTi	RPO7	0.66	6-9	500	490	757	1560
Trevi Benne	F 07RD	0.68	5-12	530	n/s	349	1345
VTN	CK07 D	0.71	7-13	520	500	441	1595
Verdelli	C.D_ F 5 R	0.71	6.5-8.5	390	n/s	n/s	1100
Hydraram	HFP-7V	0.74	6-10	475	140	n/s	n/s
Verdelli	DI 7	0.75	6-12	550	n/s	797	1650
Indeco	IFP 8 X	0.75	6-18	650	n/s	1594	1700
Globram	RM412	0.75	7-18	650	n/s	n/s	n/s
OSA Demolition Equipment	MCO7 Pulverizer	0.76	7-11	500	n/s	n/s	1486
VTN	CK07 P	0.77	7-13	535	525	441	1620
VTN	CK07 R	0.77	7-13	530/265	480/280	441	1595
VTN	CK07 CH	0.77	7-13	350	430	588	1575
Verdelli	CD_ F 7 R	0.8	6-11	450	n/s	n/s	1200
Northerntrack	CP 15	0.85	13	715	690	343	n/s
Trevi Benne	FM 15	0.85	9-17	715	690	349	n/s
Nye	12CP47	0.89	9-14	533	406	n/s	673
AJCE	APL15	0.89	13-18	800	n/s	n/s	n/s
Trevi Benne	FR 09RD	0.9	8-14	655	n/s	399	1730
Hydraram	HRP-10V	0.92	9-12	655	660	392	1730
Abiljo	P130	0.97	12-15	760	640	n/s	n/s
Hydraram	HCS-12U	0.98	10-16	670	340	2072	n/s
Nye	15CP47	1	13-17	660	457	n/s	786
Verdelli	DI 10	1	12-15	600	n/s	897	1750

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
OSA Demolition Equipment	FM 20	1	18-22	900	n/s	n/s	600
Arden	BB0700AHD	1.04	16-22	660	n/s	n/s	n/s
Arden	BB700	1.04	19-26	n/s	n/s	n/s	n/s
BTi	MCP600-IT	1.05	10-18	620	620	996	1600
Dehaco	MCP 600-IT	1.05	10-18	620	625	n/s	n/s
OSA Demolition Equipment	RV 10	1.05	9-15	630	n/s	n/s	1900
Italmek	IDF12	1.05	10-18	660	650	n/s	1650
VTN	MT10 P	1.06	10-15	544	396	490	1573
SkanCraft	SCMT10-15	1.06	10-15	600	510	n/s	1715
OSA Demolition Equipment	MC10	1.06	12-15	600	n/s	n/s	1715
Globram	RM515	1.07	10-20	n/s	560	n/s	n/s
Rammer	RPV14S	1.07	10-18	620	625	920	1600
Okada	OSC135A	1.09	10-16	708	148	668	1900
Nye	20CP47	1.09	16-24	792	522	n/s	863
Okada	OSC-135AV	1.09	10-16	720	150	600	1930
Hydraram	HRP-12V	1.1	9-12	655	140	n/s	n/s
Doosan	FP14	1.1	13-20	680	240	508	1656
OSA Demolition Equipment	FPV 12	1.1	10-16	700	400	n/s	1920
Dehaco	RP 10-IT	1.1	10-15	580	590	n/s	n/s
BTi	RP10-IT	1.1	10-18	580	590	886	1710
SkanCraft	SCP10-16	1.1	n/s	10-16	700	400	588
Everdigm	EHP16	1.1	13-20	680	n/s	508	1656
Prodem	PHP160	1.1	13-20	680	n/s	996	1658
JAB	JMP130-II	1.1	13-17	770	n/s	846	1795
Komac	TRIS22P	1.1	18-26	850	n/s	2690	1836
Hydraram	HFP-12V	1.12	9-12	690	700	637	1740
Italdem	ITFF 120	1.12	10-16	640	n/s	1295	1920
VTN	CK11 D	1.13	10-16	610	580	520	1785
VTN	CK11 CH	1.14	10-16	425	510	637	1730
VTN	CK11 P	1.14	10-16	630	630	520	1780
Rammer	RPV14R	1.15	10-18	580	590	720	1710
Italmek	IF 12	1.15	10-16	620	640	n/s	1850
Steck	D 40	1.15	n/s	921	915	460	n/s
Indeco	IRP 11 X	1.15	10-25	660	n/s	1694	1860
Globram	RM518	1.15	12-25	660	n/s	n/s	n/s
Abiljo	P160	1.16	16-19	760	640	n/s	n/s
VTN	CK11 R	1.16	10-16	610/320	580/320	520	1785
NPK	G-120	1.17	10-17	775	n/s	950	n/s
Arden	BB1200	1.18	13-19	600	n/s	757	2050
A-Ward	AP120	1.2	12	560	540	570	n/s
All-Kor	AKR 1000F	1.25	13-17	720	150	1714	1590
Korte	KPD 12.15	1.25	12-15	635	n/s	706	n/s
Trevi Benne	F 12RD	1.25	12-19	700	n/s	648	1600
Everdigm	EHP16R	1.25	13-16	720	n/s	508	1840
Prodem	PHP160R	1.25	13-20	720	n/s	996	1840
JAB	JP150	1.25	14-20	800	n/s	697	1580
Nye	20CP49	1.27	16-24	792	522	n/s	863
VTN	FP12	1.27	13-16	635	670	548	1956
Promove	CR 1500	1.27	13-16	635	n/s	1046	670
Trevi Benne	FR 13RD	1.27	12-17	705	n/s	548	1920
Hydraram	HFP-13P	1.3	17-27	710	220	765	1740
FRD	VS9E	1.3	12-18	710	850	1000	1900
LaBounty	CP 40	1.3	16-21	760	640	n/s	n/s
Korte	KPS 11.16	1.3	11-16	640	n/s	834	n/s
Verdelli	DI 13	1.3	17-20	700	n/s	1495	1950
Indeco	IFP 13 X	1.3	10-21	810	n/s	2092	1900
Globram	RM416	1.3	12-21	810	n/s	n/s	n/s
GB	GBPR150F	1.3	12-18	840	n/s	847	1663
Hydraram	HRP-14V	1.32	13-15	705	710	539	1920
Trevi Benne	MA 18	1.33	15-23	740	790	588	2080
Korte	KPD 15.19	1.35	15-19	700	n/s	903	n/s
Abiljo	P200	1.36	20-27	850	655	n/s	n/s
LaBounty	CP 60	1.36	21-29	910	690	n/s	n/s
BTi	EXC 60 CP	1.36	n/s	20-30	914	737	n/s

DEHACO. THE BEST EQUIPMENT FOR A NEW BEGINNING...



ATTACHMENTS



DUST CONTROL UNITS



FLOOR STRIPPERS



SANITATION EQUIPMENT



Kruisbaak 25
2165 AJ Lissersbroek
The Netherlands
☎ +31 (0)88 - 20 20 600
✉ info@dehaco.nl
🌐 www.dehaco.nl



Jewell provides custom machines for the world's harshest environments including the forestry, demolition, scrap recycling, material handling and construction industries.

Drawing on years of accumulated experience and technical know how, Jewell converts standard excavators into tough, robust machines capable of conquering diverse jobsite challenges.



YOU HAVE TOUGH JOBS... WE BUILD TOUGH MACHINES

WWW.JEWELLATTACHMENTS.COM

18135 S.W. BOONES FERRY ROAD, PORTLAND OR 97224

PH: 1-877-237-3392 US AND CANADA

OR 503-352-8238



DEMOLITION &
d&ri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

CRUSHING & SCREENING

CRUSHING & SCREENING

GENERAL CRUSHING PLANTS	91
MOBILE CRUSHERS	93
SCREENS & SCREENING	103

OTHER EQUIPMENT

SCRAP HANDLERS	112
DEMOLITION ROBOTS	113
HYDRODEMOLITION EQUIPMENT	114
GRABS AND GRAPPLES	114

Manufacturer	Model	Drive Power (kW)	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Screening Attachments (Y/N)
Irock	Sidewinder-15	112	400	RA	PB	203	n/s
Eagle Crusher	3242	112-149	408	CO	BB	n/s	No
Eagle Crusher	UM-15	112-149	200	CO	PB	n/s	No
Eagle Crusher	UM-25	112-224	300	CO	PB	n/s	No
Rubble Master	RM 7060! 2.0	115	150	RM	PB	600	n/s
SBM	RCL 720 E/D	120	n/s	RA	PB	n/s	n/s
BAT	BB 80 T	125	40-130	RM	n/s	400	n/s
OM	Atlante	127	n/s	RM	n/s	n/s	n/s
REV	GCV 100 N/V	127	n/s	RM	BB	n/s	n/s
Telsmith	820VK-TL	129	n/s	RM	n/s	1372	n/s
REV	GCV 80	130	n/s	RM	BB	n/s	n/s
Powerscreen	Metrotrak	134	n/s	RM	BB	n/s	n/s
Sandvik	UJ 310	134	n/s	n/s	n/s	n/s	n/s
OM	Argo	138	n/s	RM	BB	n/s	n/s
Gasparin	Diablo-GI 106 C	138	220	RM	BB	n/s	No
Gasparin	Diablo-GI 106 CV	138	n/s	n/s	n/s	n/s	n/s
Gasparin	GI 106 CV Diablo	138	220	RM	BB	n/s	Optional
Komatsu	BR380JG	140	240	RM	BB	150	n/s
Terex-Finlay	J 960	140	n/s	RM	BB	1800	No
Powerscreen	Metrotrak HA	140	200	RM	BB	800	n/s
Irock	Sidewinder-20	149	600	RA	PB	203	n/s
Parker	1110 HD	150	n/s	n/s	PB	600	No
Parker	CA1350	150	n/s	RA	KB	n/s	No
Parker	CP1350	150	n/s	n/s	KB	n/s	No
Parker	KA105	150	200	RA	PB	300	No
Parker	KF105	150	200	n/s	PB	350	No
Giegold Recycling	MP 600/800	150	n/s	RA	PB	n/s	n/s
REV	GCV 100	151	n/s	RM	BB	n/s	n/s
Kleemann	MC 100 Ri EVO	155	130-150	RM	BB	500	n/s
Rockster	R700S	160	n/s	RM	PB	n/s	n/s
BAT	BB 100 T	165	50-200	RM	n/s	500	n/s
McCloskey	C40	165	n/s	RM	BB	n/s	n/s
McCloskey	J40	166	n/s	RM	BB	n/s	n/s
REV	GCR 100	168	n/s	RM	BB	n/s	n/s
REV	GCR 100/S	168	n/s	RM	BB	n/s	n/s
REV	GCR 98	168	n/s	RM	BB	n/s	n/s
REV	GCS 98	168	n/s	RM	BB	n/s	n/s
REV	GCV 98	168	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 96	168	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 96 S	168	n/s	RM	BB	n/s	n/s
Sandvik	QJ 241	168	n/s	RM	BB	n/s	n/s
Sandvik	QJ241	168	225	RM	BB	520	n/s
Gasparin	Vesuvio-GI 1000 CV	168	n/s	n/s	n/s	n/s	n/s
Eagle Crusher	500-05 CV	168/112	n/s	RA	PB	n/s	No
Eagle Crusher	500-05 CVSS	168/112	n/s	RA	PB	n/s	Yes
Eagle Crusher	400-04 CV	168/75	n/s	RA	PB	n/s	No
Metso	Lokotrack LT 96	170	n/s	RM	BB	n/s	n/s
Baioni	TR110/70V	178	200	RM	n/s	600	n/s
Giegold Recycling	MBG 1000/500	180	n/s	RA	n/s	n/s	n/s
BAT	BB 110 TD	182	50-220	RM	n/s	600	n/s
Eagle Crusher	Rapid-Deploy	184	n/s	RA	PB	n/s	Yes
Eagle Crusher	500-05 CC	184/112	n/s	RA	PB	n/s	Yes
REV	GCC 3800	186	n/s	RM	KB	n/s	n/s
REV	GCC 3800/S	186	n/s	RM	KB	n/s	n/s
REV	GCR 106	186	n/s	RM	BB	n/s	n/s
REV	GCS 106	186	n/s	RM	BB	n/s	n/s
REV	GCV 8.5	186	n/s	RM	PB	n/s	n/s
REV	GCV 8.5/S	186	n/s	RM	PB	n/s	n/s
Powerscreen	Premiertrak 300	186	280	RM	BB	900	n/s
Powerscreen	Premiertrak R300	186	280	RM	BB	900	n/s
Powerscreen	Trakpactor 250	186	n/s	RM	PB	n/s	n/s
Powerscreen	Trakpactor 260	186	250	RM	PB	800	n/s
Powerscreen	Trakpactor 260SR	186	250	RM	PB	800	n/s
OM	Apollo	186	n/s	RM	BB	n/s	n/s

Manufacturer	Model	Drive Power (kW)	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Screening Attachments (Y/N)
REV	GCC 3800	187	n/s	RM	n/s	n/s	n/s
Atlas Copco	PC 1055J	187	n/s	RM	BB	n/s	n/s
Atlas Copco	PC 1060I	187	n/s	RM	n/s	n/s	n/s
McCloskey	I34	188	n/s	RM	n/s	n/s	n/s
McCloskey	I34R	188	n/s	RM	n/s	n/s	n/s
Powerscreen	Premiertrak 400X	194	400	RM	BB	1060	n/s
Powerscreen	Premiertrak 400X	194	400	RM	BB	1060	n/s
Powerscreen	Premiertrak R400X	194	400	RM	BB	1060	n/s
Powerscreen	Premiertrak R400X	194	400	RM	BB	1060	n/s
Rubble Master	RM 90Go!	194	200	RM	PB	650	n/s
Maschinenfabr.Liezen	R-CJ 108-80 T	196	n/s	n/s	n/s	n/s	n/s
Parker	1112 HD	200	n/s	n/s	PB	600	No
Baioni	BP110/70B	200	275	RM	n/s	n/s	n/s
Baioni	FCS 91	200	245	RM	n/s	n/s	n/s
Kleemann	MC 125 RR	200	n/s	n/s	n/s	n/s	n/s
Giegold Recycling	MP 1000/800	200	n/s	RA	PB	n/s	n/s
BAT	PB 100 T	200	50-170	RM	n/s	n/s	n/s
Sandvik	UH450 E	200	n/s	RM	n/s	n/s	n/s
Sandvik	UH440E	200	n/s	RM	KB	215	n/s
Sandvik	US440E	200	500	RM	KB	215	n/s
Terex Finlay	J 1170 Direct Drive	202	n/s	RM	BB	2400	Optional
Powerscreen	Pegson XH 400 XR-S	202	n/s	RM	BB	n/s	n/s
Powerscreen	Premiertrak 300	202	n/s	RM	BB	n/s	n/s
Powerscreen	Premiertrak 400 S	202	n/s	RM	BB	n/s	n/s
Tesab	1012S	205	250	RA	PB	500	n/s
Tesab	623CT	205	150	RM	PB	200	n/s
Tesab	623S	205	150	RA	PB	200	n/s
Tesab	643S	205	150	RA	PB	200	n/s
BAT	BB 120 T	205	60-250	RM	n/s	600	n/s
Terex Finlay	I 100	205	n/s	RM	PB	2260	Yes
Terex Finlay	I 100 RS	205	n/s	RM	PB	2260	Optional
Terex Finlay	J 1160	205	n/s	RM	BB	2380	No
Eagle Crusher	3242 Eagle	205/112	n/s	RA	BB	n/s	No
Eagle Crusher	1000-15 CV	205/298/149	n/s	RA	PB	n/s	No
REV	GCS 12.9 B	210	n/s	RM	PB	n/s	n/s
Rockster	R800	210	n/s	RM	BB	n/s	n/s
Rockster	R900	210	n/s	RM	PB	n/s	n/s
Tesab	10570	224	300	RM	BB	700	n/s
OM	Apollo Plus	224	n/s	RM	BB	n/s	n/s
Gipo	B 0960 C	224	150	RM	n/s	n/s	Yes
Gipo	B 0960 C Giga	224	150	RM	n/s	n/s	Yes
Gipo	B 0960 FDR	224	150	RM	n/s	n/s	Yes
REV	GCS 109	224	n/s	RM	BB	n/s	n/s
REV	GCV 109	224	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 1110	224	n/s	RM	PB	n/s	n/s
Metso	Lokotrack Urban LT 106	224	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 106	224	n/s	RM	BB	n/s	n/s
OM	Marte	224	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 106	224	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 106 S	224	n/s	RM	BB	n/s	n/s
Irock	Sidewinder-30	224	750	RA	PB	254	n/s
Eagle Crusher	UM-45	224-298	400	CO	PB	n/s	No
MFL	CC 80 / T	225	145	RM	KB	130	n/s
MFL	R-CI 100-100 / T	225	250	RM	PB	700	n/s
MFL	R-CI 100-130 / T	225	300	RM	PB	800	n/s
MFL	R-CI 100-130 / TV	225	300	RM	PB	800	n/s
MFL	STE 100-65 / T	225	250	RM	BB	550	n/s
MFL	STE 90-60 / T	225	200	RM	BB	550	n/s
Kleemann	MC 100 R	228	n/s	RM	BB	n/s	n/s
BWM-Dietlas	MMU 130 T-S 120	230	n/s	RM	BB	n/s	n/s
Gipo	R 90 FDR	230	200	RM	n/s	n/s	No
Gipo	R 90 FDR Giga	230	200	RM	n/s	n/s	No
Gasparin	GI1010 K 1 R	235	250	RM	PB	n/s	No
Gasparin	GI1010 K 1 R	235	250	RM	PB	n/s	Yes

Manufacturer	Model	Weight (t)	Engine Power (kW)	Dredging Depth (m)	Max Reach Horizontal (m)	Tracked / Wheeled (T/W)	Max Lift Capacity (kg)
Sennebogen	817M E	17.2	92	3.3	9	W	5000
JCB	JS20MH	20.72	93	n/s	8.8	W	3530
Sennebogen	718M E	21.4	119	4.2	13	W	5500
Sennebogen	818M E	21.8	97	4.2	10	W	8600
Liebherr	LH 22 M Industry Litronic	21.9	105	3.1	10.4	W	3900
Liebherr	LH 22 C Industry Litronic	22.2	105	2.6	10	T	3900
Caterpillar	MH3022	22.67	126	1.65	9.32	W	3300
Hitachi	ZX240LC-5G	24	132	6.96	10.11	T	n/s
Caterpillar	MH3024	24.06	126	1.48	10.34	W	3600
Liebherr	LH 24 M Industry Litronic	24.2	110	4.8	11	W	3700
Sennebogen	818R E	25	97	3.8	9	T	7800
Sennebogen	821M E	25.1	119	4.9	13	W	8900
Caterpillar	MH3026	25.22	126	1.82	11.43	W	n/s
Liebherr	LH 26 M Industry Litronic	25.6	115	6.9	12.5	W	4900
Liebherr	LH 26 C Industry Litronic	25.8	100	n/s	n/s	T	12400
Doosan	DX210WMH-5	25.95	140	5	10.72	W	n/s
Sennebogen	821R E	26.3	104	4.6	11	T	9100
Sennebogen	723M E	27	119	4.6	11	W	9000
Doosan	DX225MH-5	27.6	124	5.1	10.8	T	n/s
Sennebogen	825M E	28.8	129	5.6	14	W	14200
Hitachi	ZX250LC-5	29	137	5.98	12.5	T	12300
Liebherr	LH 30 M Industry Litronic	29.1	140	3.3	11.7	W	5300
Liebherr	LH 35 M Timber Litronic	29.6	150	5.3	11.8	W	5900
Liebherr	EP 934 C Litronic	29.6	160	n/s	20	T	3050
Link-Belt	240 X2 MH	29.9	132	3.89	12.92	T	n/s
Liebherr	LH 30 C Industry Litronic	30.2	140	2.4	14	T	n/s
Liebherr	LH 35 M Industry Litronic	31.9	140	3.3	12.7	W	3900
Case	CX290D SL	32.6	132	n/s	12.77	T	4510
Link-Belt	250 X3 MH	33.1	132	3.61	11.41	T	3719
Sennebogen	730M E	34.1	168	4.5	11	W	15300
Doosan	DX300MH-5	36	202	6.6	13	T	n/s
Liebherr	ER 934 C Litronic	38.55	160	n/s	17	T	24900
Liebherr	LH 40 M Industry Litronic	38.7	155	6.5	14.5	W	5800
Liebherr	LH 50 M Timber Litronic	40.3	170	4	12.4	W	6200
Liebherr	EP 944 C Litronic	40.6	200	n/s	22	n/s	3050
Liebherr	LH 40 C Industry Litronic	40.9	155	7.2	16	T	5200
Liebherr	LH 50 M Industry Litronic	43.5	155	7.1	16.7	W	4800
Sennebogen	830M E	43.5	168	6	17	W	15600
Sennebogen	735M E	43.9	224	4.7	11.3	W	22500
Liebherr	LH 60 M Timber Litronic	44.8	200	4	13	W	8300
Link-Belt	360 X2 RT MH	45	202	6.43	17	T	n/s
Sennebogen	835M E	45.5	224	6.6	18	W	19500
Liebherr	LH 50 M High Rise Industry Litronic	46.9	155	11.2	19	W	3900
Link-Belt	380 X4 MH	47	200	5.21	15.18	T	5030
Liebherr	EP 954 C Litronic	51.6	250	n/s	24	n/s	3050
Sennebogen	840M E	53	231	9.4	20	W	22800
Liebherr	ER 944 C Litronic	53.4	200	n/s	16.5	T	24100
Sennebogen	835R E	54.5	224	6.6	20	T	19200
Liebherr	LH 50 C High Rise Industry Litronic	54.9	155	7.5	18	T	3300
Sennebogen	830R E	56	164	6	17	T	14500
Liebherr	ER 934 C High Rise Litronic	56.2	160	9	21	T	16000
Liebherr	LH 60 M Industry Litronic	61	190	10	20.5	W	7700
Liebherr	LH 60 C Industry Litronic	62	190	6	20	T	n/s
Sennebogen	840R E	67	231	9.4	20	T	16200
Liebherr	LH 60 M High Rise Industry Litronic	72.6	190	11	21	W	4600
Liebherr	ER 944 C High Rise Litronic	73.4	200	n/s	24	T	37300
Liebherr	ER 954 C Litronic	75.4	250	n/s	20	T	36100
Liebherr	LH 60 C High Rise Industry Litronic	75.8	190	11	21	T	4700
Liebherr	LH 80 M Industry Litronic	76.5	230	4.7	18	W	9800
Liebherr	LH 80 C Industry Litronic	80	230	11	20.8	T	n/s
Link-Belt	800 X2 MH	80.03	397	n/s	n/s	T	n/s
Liebherr	LH 80 M High Rise Industry Litronic	91.8	230	7.5	21	W	5900
Liebherr	LH 80 C High Rise Industry Litronic	95	230	8	22	T	5800
Sennebogen	850M E	95	261	11	21	W	15700

Manufacturer	Model	Weight (t)	Engine Power (kW)	Dredging Depth (m)	Max Reach Horizontal (m)	Tracked / Wheeled (T/W)	Max Lift Capacity (kg)
Liebherr	ER 954 C High Rise Litronic	95.8	250	n/s	23	T	24800
Liebherr	LH 110 M Industry Litronic	98.5	300	7	23	W	9000
Liebherr	LH 110 C Industry Litronic	102	300	6	21.5	T	7600
Liebherr	LH 110 M Port Litronic	104	300	12.3	26	W	9000
Sennebogen	860M E Hybrid	105	261	10.2	23	W	19000
Liebherr	LH 110 M High Rise Industry Litronic	107.5	300	6.7	25.7	W	6700
Liebherr	LH 110 C Port Litronic	109.9	300	11.7	24.5	T	10200
Sennebogen	855M E Hybrid	110	231	9.5	21	W	17300
Liebherr	LH 110 M High Rise Port Litronic	112	300	12.3	26.5	W	8000
Liebherr	LH 110 C High Rise Industry Litronic	112	300	8.5	25	T	6600
Liebherr	LH 80 C Gantry Industry Litronic	112.5	230	8.5	22	T	5500
Liebherr	LH 110 C High Rise Port Litronic	117.6	300	12.5	25.5	T	8600
Sennebogen	860R E Hybrid	120	268	8	23	T	22300
Sennebogen	870M E Hybrid	125	261	12.3	27	W	21300
Liebherr	LH 150 C Industry Litronic	138.4	400	12	26.5	T	8900
Liebherr	LH 150 C Port Litronic	141.4	400	14.3	29.6	T	9000
Sennebogen	870R E Hybrid	145	261	12.5	27	T	21600
Liebherr	LH 150 C High Rise Industry Litronic	147.6	400	12	26.5	T	7400
Liebherr	LH 150 M Industry Litronic	148	400	12	29	W	6500
Liebherr	LH 150 M Port Litronic	150.6	400	12.3	25.5	W	10800
Liebherr	LH 150 C High Rise Port Litronic	151.1	400	13.4	28.4	T	9800
Liebherr	LH 150 M High Rise Port Litronic	162.8	400	13.5	29.5	W	8700
Sennebogen	875R E Hybrid	165	391	12	27	T	28700
Liebherr	LH 150 C Gantry Industry Litronic	171	400	10	26	T	7300
Liebherr	LH 150 M High Rise Industry Litronic	171.7	400	10	27	W	7200
Liebherr	LH 150 C Gantry Port Litronic	178	400	12	30.8	T	8200

Manufacturer	Model Name	Operating Weight	Operating Weight	Max Attachment Weight (kg)	Max Attachment Weight (lb)	Max Horizontal Reach (m)	Max Vertical Reach (m)	Minimum Access Opening (mm)	Power Source (E/D/LPG)	Remote Control (Y/N)
		(kg)	(lb)							
Brokk	Brokk 60II	500	1102	80	176	2.5	3.1	597	E	Y
Husqarna	DXR 140	985	2172	n/s	n/s	3.7	3.7	771	E	Y
Brokk	Brokk 110	990	2183	160	353	3.7	4.3	780	E	Y
Brokk	Brokk 120D	1230	2712	160	353	3.7	4.3	780	D	Y
Brokk	Brokk 120DII	1230	2712	160	353	3.7	4.3	780	D	Y
Brokk	Brokk 160	1600	3527	270	595	4.4	4.8	780	E	Y
Brokk	Brokk 170	1600	3527	250	551	4.4	4.8	780	E	Y
Husqarna	DXR 250	1620	3571	n/s	n/s	4.5	4.8	780	E	Y
Husqarna	DXR 270	1750	3858	n/s	n/s	4.5	4.8	780	E	Y
Husqarna	DXR 300	1960	4321	n/s	n/s	4.9	5.2	780	E	Y
Husqarna	DXR 310	2020	4453	n/s	n/s	5.2	5.5	780	E	Y
Brokk	Brokk 200	2100	4630	350	772	5.1	5.45	780	E	Y
Brokk	Brokk 280	3150	6945	420	926	5.8	6.2	1200	E	Y
Brokk	Brokk 300	3650	8047	500	1102	6.1	6.5	1200	E	Y
Giant Hydraulic Breaker	GTC45C	4300	9480	n/s	n/s	6.3	7	2400	n/s	Y
Giant Hydraulic Breaker	GTC45D	4500	9921	n/s	n/s	6.4	7.3	2850	D	Y
Brokk	Brokk 400	5100	11244	600	1323	6.7	7.1	1600	E	Y
Brokk	Brokk 500	5200	11464	700	1543	7	7.4	1600	E	Y
Brokk	Brokk 400D	5500	12125	600	1323	6.7	7.1	1600	D	Y
Brokk	Brokk 520D	5500	12125	700	1543	7	7.1	1600	D	Y
Brokk	Brokk 800S	11050	24361	1200	2646	9.4	10	2200	E	Y
Brokk	Brokk 800P	11300	24912	1200	2646	9.5	10.1	2200	D	Y

Hydrodemolition equipment and techniques are widely used for the removal and renovation of concrete structures. **D&Ri** here lists the major manufacturers involved in the sector.

American Hydro

9209 Philadelphia Road
Baltimore, Maryland
MD 21237
USA
Tel: +1 (410) 574 8470
Fax: +1 (410) 574 8472
www.americanhydro.net

Aqua-Dyne

635 West 12th St
Baxter Springs
Kansas KS 66713
USA
Tel: +1 620 856 6222
www.aqua-dyne.com

Aquajet Systems AB

Brunnsvägen 15
Holsbybrunn 574-53
SWEDEN
Tel: +46 (383) 508 01
Fax: +46 (383) 507 30
www.aquajet.se

Conjet AB

PO Box 507
Haninge
SE-136 25
SWEDEN
Tel: +46 (0)8 55 65 22 40
Fax: +46 (0)8 55 65 22 60
www.conjet.com

Jet Edge

12070 43rd Street NE
St Michael, Minnesota
MN 55376
USA
Tel: +1 (763) 497 8700
Fax: +1 (763) 497 8701
www.jetedge.com

NLB Corporation

29830 Beck Road, Wixom,
Michigan MI 48393
USA
Tel: +1 (248) 624 5555
Fax: +1 (248) 624 0908
www.nlbcorp.com

Urac Pumpenfabrik

Sirchinger Strasse 15
72524 Bad Urach
GERMANY
Tel: +49 (7125) 133 0
Fax: +49 (7125) 133 202
www.uraca.de

A range of grabs and grapples is available with varying characteristics, and classification is more complex. In addition many OEMs offer branded grabs and grapples as part of their attachment ranges. **D&Ri** here lists the contact details for most of the major grabs and grapples manufacturers active in this field around the world

Allied Construction Products

3900 Kelley Avenue
Cleveland, Ohio OH 44114
USA
Tel: +1 (216) 431 2600
Fax: +1 (216) 431 2601
www.alliedcp.com

Allied Gator Inc

2100 Poland Avenue
Youngstown
Ohio OH 44502
USA
Tel: +1 (330) 744 0808
Fax: +1 (330) 744 3218
www.alliedgator.com

Anvil Attachments

PO Box 216,
261 Highway 19
Slaughter, Louisiana
LA 70777
USA
Tel: +1 225 654 8223
Fax: +1 225 654 3125
www.anvilattachments.com

Arden Equipment

Avenue de l'Industrie
Charleville-Mezieres,
F-08013
FRANCE
Tel: +33 03 24 33 64 30
Fax: +33 03 24 33 64 32
www.arden-equipment.com

BTI Breaker Technology Inc

PO Box 130
35 Elgin St North
Thornbury ON N0H 2P0
CANADA
Tel: +1 (519) 599 2015
Fax: +1 (519) 599 6803
www.rockbreaker.com

Cangini Benne

Via Savio 29-31
Sarsina
I-47027
ITALY
Tel: +39 05 47 69 80 20
Fax: +39 05 47 69 80 21
www.canginibenne.com

Dehaco

Kruisbaak 25
Postbus 189
2160 AD
NETHERLANDS
Tel: +31 252 41 79 50
Fax: +31 252 41 85 31
www.dehaco.nl

Genesis Equipment & Manufacturing

1000 Genesis Drive
Superior
Wisconsin WI 54880
USA
Tel: +1 (715) 395 5252
Fax: +1 (715) 395 5255
www.genesisequip.com

Gensco America

5307 Dividend Drive
Decatur
Georgia GA 30035
USA
Tel: +1 (770) 808 8711
Fax: +1 (770) 808 8739
www.genscoequip.com

Idrobenne Hydraulic Grabs

1/9 Via I Maggio
Isorella,
Brescia
25010
ITALY
Tel: +39 030 995 82 83
Fax: +39 030 995 26 60
www.idrobenne.com

Kinshofer

Hauptstrasse 76
Waackirchen
83666
GERMANY
Tel: +49 8021 8899 0
Fax: +49 8021 8899 37
www.kinshofer.com

Northshore Manufacturing

530 Recycle Center Drive
Two Harbors
MN 55616
USA
Tel: +1 (218) 834 5555
Fax: +1 (218) 834 5556
www.builttritehandlers.com

NPK Europe

World Trade Center Office
403, PO Box 30157
3001 DD Rotterdam
NETHERLANDS
Tel: +31(0)10 205 17 10
Fax: +31(0)10 205 17 15
www.npke.nl

NPK - Nippon Pneumatic

Export Division
4-11-5 Kamiji, Higashinari-ku
537-0003 Osaka
JAPAN
Tel: +81 6 697 39104
Fax: +81 6 697 45523
www.npk.co.jp

Nye Manufacturing

3585 Mavis Road
Mississauga
Ontario L5C 1T7
CANADA
Tel: +1 905 897 2311
Fax: +1 905 897 2312
www.nyemanufacturing.com

Rockland Mfg Co

152 Weber Lane
Bedford
Pennsylvania,
PA 15522
USA
Tel: +1 (814) 623 1115
Fax: +1 (814) 623 7214
www.rocklandmfg.com

Rotar International BV

Schering 27,
Genemuiden,
8281 JW,
NETHERLANDS
Tel: +31 38 385 5471
Fax: +31 38 385 5402
www.rotar.nl

Rozzi Sr

Via Barca 7
Seniga (Bs) 25020
ITALY
Tel: +39 (030) 9955003
Fax: +39 (030) 9955363
www.rozzi.it

Stanley Infrastructure

55 Shuman Boulevard
Suite 900
Napierville
Illinois
IL 60563
USA
Tel: +1 (218) 8342100
Fax: +1 (218) 8343879
www.sbdinc.com

Trevi Benne

Via Bergoncino 18
Noventa Vicentina
Vicenza 36020
ITALY
Tel: +39 0444 760 273
Fax: +39 0444 861182
www.trevibenne.it

DEMOLITION &
d&ri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

CONSTRUCTION EQUIPMENT

EXCAVATORS

DEMOLITION EXCAVATORS	117
MINI EXCAVATORS	118
TRACKED EXCAVATORS	127
WHEELED EXCAVATORS	143

LOADERS

BACKHOE LOADERS	147
SKID STEER LOADERS	150
TRACKED LOADERS	155
WHEELED LOADERS	157

HAULERS

ARTICULATED HAULERS	170
RIGID HAULERS	171
SITE DUMPERS	173



WORLD DEMOLITION SUMMIT 2019

CONFERENCE
AND AWARDS

**23-24
OCTOBER
2019**

BOSTON,
USA

CONFIRMED SPEAKERS

FÁBIO BRUNO PINTO

Managing director
Fábio Bruno USA

GREG MIX

Project Sponsor, Kiewit
Infrastructure West Co.

GRANT STYLES

Operations Director,
Erith Contractors Ltd.

JIM GRAHAM

(SESSION CHAIRMAN)
Principal, Executive
Vice President, Winter
Environmental, USA

www.demolitionsummit.com



**AWARDS
SUBMISSION
DEADLINE
30 JUNE 2019**



IN COOPERATION WITH



IN PARTNERSHIP WITH



CREATED AND ORGANISED BY



#worlddemolitionsummit

HEADLINE SPONSOR



Volvo Construction
Equipment

GOLD SPONSORS



AWARDS RECEPTION



AWARDS TABLE WINE



SILVER SPONSORS



WELCOME RECEPTION



PAD & PEN SPONSOR



BRONZE SPONSORS



Manufacturer	Model Name	Operating Weight (t)	Max Working Height (m)	Forward Limit Range (m)	Number of Boom Sections	Engine Power (kW)	Maximum Tool Weight (kg)	Maximum Tool Weight (lb)	Inter-changeable Boom (Y/N)	Extending U'carriage (Y/N)	Tilting Cab (Y/N)
Hitachi	ZX210K-5G	21.1	10.04	8.7	2	125	3360	7407	Yes	No	No
Komatsu	PC 210 LC-10	23.4	9.8	9.38	2	123	5320	11729	Yes	Yes	No
Komatsu	PC210LC-11	23.58	10	9.7	2	123	5870	12941	Yes	Yes	No
Hitachi	ZX250K-5G	25.2	10.56	10.75	2	132	4820	10626	Yes	No	No
Komatsu	PC240NLC-11	25.3	10.3	10.42	2	141	5520	12169	Yes	Yes	No
Komatsu	PC240LC-11	26.2	10.3	10.42	2	141	5520	12169	Yes	Yes	No
Kobelco	SK 210 D-9	26.8	5.83	8.96	2	117	1850	4076	Yes	Yes	No
Komatsu	PC290NLC-11	30.85	10.35	10.71	2	159	6650	14660	Yes	Yes	No
Komatsu	PC290LC-11	30.95	10.35	10.71	2	159	6650	14660	Yes	Yes	No
Komatsu	PC 360 NLC-10	36.25	9.58	10.15	2	202	8970	19776	Yes	Yes	No
Komatsu	PC 360 LC-10	36.55	9.58	10.15	2	202	8840	19489	Yes	Yes	No
Komatsu	PC360NLC-11	36.56	10.55	11.73	2	202	7220	15917	Yes	Yes	No
Komatsu	PC360LC-11	36.85	10.55	11.73	2	202	7220	15917	Yes	Yes	No
Caterpillar	336F	37.2	7.11	11.02	2	236	2500	5500	Yes	Yes	No
Sennebogen	830 R	43	17	16.3	2	164	4400	9700	Yes	Yes	Yes
Caterpillar	340F UHD	45.5	21.7	14	4	234	4800	10582	Yes	Yes	No
Volvo	EC380E HR	46.8	12.5	12.31	2	225	10270	22641	Yes	No	Yes
Hitachi	ZX350LC-5 HRD	46.9	23.04	12.42	4	202	4760	10494	Yes	No	No
Komatsu	PC490LC-11	48.86	11.55	13.17	2	270	9480	20899	Yes	Yes	No
Kobelco	SK 400D LC 10	49	24.7	13	2	213	4000	8818	Yes	Yes	No
Volvo	EC480E HR	57.82	13.3	13.11	2	225	10770	23743	Yes	No	Yes
Kobelco	SK 550D LC 10	62.8	27.5	16	2	271	5300	11684	Yes	Yes	No
Hitachi	ZX470LCH-5 HRD	62.8	27.05	14.35	4	270	5660	12478	Yes	No	No
Liebherr	R 950	74.1	26	n/s	2	200	9500	20943	Yes	No	Yes
Liebherr	R 960	97.7	33	n/s	2	250	12500	27557	Yes	No	Yes
Kobelco	SK 1000D LC-9	111	37.79	22	5	280	2600	5700	Yes	n/s	n/s
Sennebogen	870 R-HD	115	19	19.7	2	250	13000	28660	Yes	Yes	No
Liebherr	R 974 C HD-EW	127	41	n/s	4	400	3000	6614	Yes	No	Yes
Liebherr	R 974 C VH-HD	131	41	n/s	4	400	3000	6614	Yes	Yes	Yes
Liebherr	R 974 C	131.6	41	n/s	2	400	3000	6613	Yes	No	No

KING INDUSTRIAL BOILER SPECIALISTS

WANTED

Industrial Steam Boilers
Any size considered
Best prices paid

Please call or email today with details

HIRE/SALE


Storage Tanks
Water or Diesel (bunded)
Range of sizes

Let Kings solve your storage problems

+44 (0)1992 451629
sales@kingsboilerhire.com



DUST CONTROLLER



GAS, DIESEL & ELECTRIC MODELS

GET CONTROL (716) 592-2700 • BuffaloTurbine.com



Manufacturer	Model	Net Load (t)	Weight (t)	Loading Height (m)	Turning Radius (m)	Engine Power (kW)	Travel Speed (km/h)
Mecalac	TA9	9	4.77	0.43	5.99	n/s	29.3
Mecalac	TA9P	9	4.92	0.49	5.99	55.18	24.8
Mecalac	TA9S	9	5.26	1.21	5.82	55.18	24.8
JCB	9T-1	9	4.99	2	6.37	55	24.7
Ausa	D 1000 AP	10	4.8	1.95	5.95	n/s	40
Ausa	D 1000 APG	10	5	1.82	5.95	n/s	40
Wacker Neuson	DV100 Dual View	10	n/s	n/s	n/s	56.15	25
Wacker Neuson	DW100	10	5.31	2.04	n/s	55.77	28
Terex	TA 10	10	4.81	0.44	6.01	n/s	29.2
Mecalac	TA10P	10	5.06	n/s	6.01	55.18	24.8
Bergmann	4010 HK	10	14	1.9	2.9	180	15
Morooka	MST 2200 VD	10	13.5	1.83	3.5	186	12
Bergmann	4010 R	10	14.75	2.07	2.9	180	40
Bergmann	4010HK	10	14.25	1.97	n/s	180	15
Morooka	MST 2200 VDR	10	16	2.22	3.5	186	10
Kato	IC120	11	14.1	n/s	n/s	n/s	n/s
Kato	IC120-2	11	14.1	n/s	n/s	n/s	n/s
Morooka	MST 2200 VD	11	14.1	1.83	3.5	186	10
Bergmann	4010T	11	13	2.17	n/s	180	15
Dieci	DP 7000	12	6.36	n/s	n/s	n/s	20
Dieci	DP 8000	14	8.43	n/s	n/s	n/s	30
Morooka	MST 3000 VD	15	14.5	2.02	n/s	242	12.8
Ausa	D 150 AHA	n/s	1.51	n/s	n/s	n/s	14
JCB	JZ 140 LC	n/s	15.4	n/s	n/s	n/s	5.12

REGISTER FOR THE **FREE** DIGITAL ISSUE

**Delivered instantly
anywhere in the
world**

- **Interactive**
- **Searchable**
- **Archiveable**



For more details and to register for your own, **FREE**, digital copies go to:
www.khl.com



INFORMATION THAT BUILDS AND POWERS THE WORLD

www.khl.com

DEMOLITION &
d&ri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

**CONTACT
DETAILS**

MANUFACTURERS 178

SPECIALIST SUPPLIERS

ATTACHMENTS 180

COMPRESSORS 181

HANDHELD TOOLS 181

DEMOLITION 182
ASSOCIATIONS

EXPLOSIVE 182
DEMOLITION
CONTRACTORS

ACM Equipment

4010 S 22nd St
Phoenix, AZ, USA
Tel: +1 602 232 0600
Fax: +1 602 232 0620

Anaconda Equipment International

Ardboe Business Park
Kilmascally Road,
Dungannon, County Tyrone
BT71 5BJ
UK
Tel: +44 (0)28 8673 7878
Fax: +44 (0)28 8673 6675
www.anacondaequipment.com

Anglo-American Parts Supply

PO Box 22877
Knoxville, Tennessee 37933
USA
Tel: +1 865 609 9490
Fax: +1 865 609 9183

Aughey Plant International

Fitzpatrick Square, Clones,
County Monaghan
REPUBLIC OF IRELAND
Tel: +353 47 51101
Fax: +353 47 51616
www.augheyplant.com

Ausa

Carrer de Castelladral 1
08243 Manresa
Barcelona, SPAIN
Tel: +34 938 74 73 11
www.ausa.com

Avant Tecno

Ylotie 1, 33470 Ylojarvi,
FINLAND
Tel: +358 (3) 347 8800
www.avanttecno.com

Backers Maschinenbau

Auf dem Bult 42
49767 Twist, GERMANY
Tel: +49 5936 9367 0
Fax: +49 5936 9376 20
www.backers.de

Baioni

via Cesanense 176
61040 Monte Porzio (Pu)
ITALY
Tel: +39 071 795 0313
Fax: +39 071 795 0207
www.baioni.it

BAT Bohr und Anlagentechnik

Borntalstrasse 11
36460 Merkers-Kieselbach,
GERMANY
Tel: +49 36969 546 0
Fax: +49 36969 546 15
www.bat-maschinenbau.de

Bell Equipment Co

13-19 Carbonode Cell
Alton Private Bag X20046
Empangeni, SOUTH AFRICA
Tel: +27 35 907 9431
Fax: +27 35 797 4323
www.bellequipment.com

BHS Sonthofen

An der Eisenschmelze 47
87527 Sonthofen,
GERMANY
Tel: +49 8321 6099 0
Fax: +49 8321 6099 220
www.bhs-sonthofen.de

Biurrarena Maquinaria

Poligoni Bidebitarte
Donosti Ibilbidea 28
20115 Astigarraga,
SPAIN
Tel: +34 43 554 350
Fax: +34 943 555 360
www.biurrarena.com

Bomag

Hellerwald, 56154 Boppard,
GERMANY
Tel: +49 (0) 6742 100 0
Fax: +49 (0) 6742 3090
www.bomag.com

Brokk

PO Box 730, SE-931-27
Skelleftea
SWEDEN
Tel: +46 (0)910 711 800
Fax: +46 (0)910 711 811
www.brokk.com

Bumar-Koszalin

Lechicka 51,
75-842 Koszalin, POLAND
Tel: +48 (0)94 342 20 35
Fax: +48 (0)94 342 71 52
www.bumar.pl

Case CNH France

5 Avenue George Bataille
BP 40401, Plessis Belleville,
FRANCE
Tel: +33 3 44 74 21 68
www.casece.com

Caterpillar

76 Route de Frontenex
PO Box 6000,
Geneva 12116
SWITZERLAND
Tel: +41 22 849 4444
Fax: +41 22 849 4116
www.cat.com

Changlin Company

898 West Huang He Road
Changzhou,
Jiangsu Province
CHINA
Tel: +86 519 8678 1288
Fax: +86 519 8678 1387
www.changlin.com.cn

CMi

Via San Defendente 86
20010 Boffalora Sopra
Ticino, Milan,
ITALY
Tel: +39 02 972 59077
Fax: +39 03 972 58817
www.cmisrl.biz

Dieci

via E Majorana 2-4
Montecchio Emilia (RE)
42027
ITALY
Tel: +39 0522 869611
Fax: +39 0522 869798
www.dieci.com

Digibits

Unit 1, Power Park,
Towers Business Park
Rugeley, Staffordshire
WS15 1HZ
UK
Tel: +44 (0) 1889 503020
Fax: +44 (0) 1889 503021
www.digibits.co.uk

Ditch Witch

PO Box 66
1959 West Fir Avenue
Perry, Oklahoma 73077
USA
Tel: +1 580 336 4402
Fax: +1 580 572 3561
www.ditchwitch.com

Doosan Bobcat EMEA

U Kodetky 1810
26301 Dobris
CZECH REPUBLIC
Tel: +420 318 532 400
Fax: +32 (0)237 16915
www.bobcatdobris.cz

Doosan Infracore

7-11 Hwasu-dong
Dong-gu
Incheon
SOUTH KOREA
Tel: +82 32 211 1114
www.doosaninfracore.comkr

Doosan Infracore Europe

Rue Achille Degrace 1A
Frameries,
FRANCE
Tel: +31 65 61 32 30
Fax: +31 65 61 32 38
www.doosaninfracore.com

Dynapac

Indstrivagen 2
37146 Karlskrona,
SWEDEN
Tel: +46 455 30 61 00
www.dynapac.com

Eagle Crusher Co

525 S Market St
Galion, Ohio 44833, USA
Tel: +1 419 468 2288
Fax: +1 419 468 4840
www.eaglecrusher.com

Eagle Iron Works

129 East Holcomb Avenue
Des Moines, Iowa 50313,
USA
Tel: +1 515 243 1123
Fax: +1 515 243 8214
www.eagleironworks.com

Endecotts

9 Lombard Road
London SW19 3UP, UK
Tel: +44 (0)20 8542 8121
Fax: +44 (0)20 8543 6629
www.endecotts.com

Eurodig

Via Canale Carpi 6A
Campogalliano (MO),
ITALY
Tel: +39 059 8511111
www.eurodig.com

F Weyhausen

PO Box 1763
Wildeshausen
GERMANY
Tel: +49 4431 981 0
Fax: +49 4431 981 139
www.atlasweyhausen.de

Fiori

Via per Ferrara, 7
41034 Finale Emilia (Mo)
ITALY
Tel: +39 0535 92357
Fax: +39 0535 90960
www.fiorigroup.it

Foredil Macchine

Via E Fermi 22, Sarneola Di
Rubano, PD, ITALY
Tel: +39 049 631 200
Fax: +39 049 631 842
www.foredilmaschine.com

Fuwa Heavy Industry,

2 Shuang Yang Road,
Shuncheng District, Fushun
(Liaoning), 113126,
CHINA,
Tel: +86 24 5764 2558
www.cnfuwa.com

Gasparin Impianti

Via Giorgione 17
SS Feltrina, Trevignano (TV)
ITALY
Tel: +39 0423 670201
Fax: +39 0423 676575
www.gasparinimpianti.com

Gipo

Industriegebiet See Zone C
Kohlplatzstrasse 15, Seedorf
CH6462 SWITZERLAND
Tel: +41 41 874 81 10
Fax: +41 41 874 81 01
www.gipo.ch

Grasan Equipment Co

440 South Illinois Avenue
Mansfield, Ohio 44907
USA
Tel: +1 419 526 4440
www.grasan.com

Guidetti

Via Salvi 1,
44045 Renazzo (Fe), ITALY
Tel: +39 051 685 8511
www.guidettirecyclingsrl.com

H Paus Maschinenfabrik

Siemensstrasse 1-9,
D-48488 Emsburen
GERMANY
Tel: +49 (0)5903 707 0
www.paus.de

Hanix Europe

Unit 6 The Gateway Centre
Coronation Road
Cressex Business Park
High Wycombe HP12 3SU,
UK
Tel: +44 (0) 1494 429040
Fax: +44 (0) 1494 429059
www.hanixeurope.com

Helmut Kempkes

Bismarckstrasse 59,
D-42805 Remscheid,
GERMANY
Tel: +49 (0)2191 434 0
Fax: +49 (0)2191 434 45
www.kuli.com

Hitachi Construction Machinery Europe

Souvereinstr 16
Oosterhout, NETHERLANDS
Tel: +31 20 447 6700
www.hitachimc.eu

Hewitt Robins International

Huntingdon Court,
Huntingdon Way, Measham
Swadlincote, Derbyshire,
DE12 7NQ, UK
Tel: +44 (0)1530 272799
Fax: +44 (0)1530 272787
www.hewittrobins.co.uk

Husqvarna Construction Products

S-433 81 Gothenburg,
SWEDEN,
Tel: +46 31 94 9008,
Fax: +46 31 94 9114
www.husqvarna.se

Hydrema Denmark

Gl Kirkevej 16
DK-9530 Stovring,
DENMARK
Tel: +45 (98) 371333
www.hydrema.com

Hyundai Construction Equipment Europe

Hyundailaan 4
B3980 Tessenderlo
BELGIUM
Tel: +32 14 56 2200
Fax: +32 14 59 3405
www.hyundai.eu

IHI Construction Machinery Co

3174 Showa-machi
Kanazawa
Yokohama 236-8611 JAPAN
Tel: +81 45 771 1351
www.ihikenki.co.jp

JCB Sales

Lakeside Works
Rocester, Staffordshire, UK
Tel: +44 (0)1889 590312
Fax: +44 (0)1889 590546
www.jcb.com

John Deere Construction

PO Box 8806,
1515 5th Avenue
Moline, Illinois, USA
Tel: +1 309 765 1968
Fax: +1 309 765 2497
www.deere.com

Kawasaki Heavy Ind

4-1 Hamamatsu-chou
2-Chome, Minato-ku
Tokyo, JAPAN
Tel: +81 3 3435 2076
Fax: +81 3 3435 3480
www.khi.co.jp

Keestrack

Taunusweg 2
B-3740 Munsterbilzen,
BELGIUM
Tel: +32 89 515 851
Fax: +32 89 515 850
www.keestrack.com

Kleemann

Hildebrand Str 18
Postfach 760, Göppingen-
Faurndau, GERMANY
Tel: +49 (7161) 206-124
Fax: +49 7161 2065112
www.kleemann.info

Kobelco Construction Machinery Europe

Veluwezoom 15
1327 AE Almere, Netherlands
Tel: +31 36 2020 300
www.kobelco-europe.com

Kolberg-Pioneer Inc

700 West 21st Street
P O Box 20, Yankton,
South Dakota, SD 57078,
USA
Tel: +1 605 665 9331
www.kolbergpioneer.com

Komatsu Europe

Mechelsesteenweg 586
1800 Vilvoorde, BELGIUM
Tel: +32 22 55 2411
www.komatsu-europe.com

Komplet Italia

Via Modigliani 8
60019 Senigallia (AN), ITALY
Tel: +39 071 660 9823
Fax: +39 071 661 1069
www.komplet.it

Kramer-Werke

Wacker Neuson Strasse 1
88630 Pfullendorf
GERMANY
Tel: 00800 90 20 90 20
Fax: +49 7552 9288 234
www.kramer.de

Kubota Europe

19-25 rue Jules Vercruysse
ZI, Argenteuil, Cedex
FRANCE
Tel: +33 1 34 26 34 34
Fax: +33 1 34 26 34 99
www.kubota.fr

Libra Industriale

Strada Cardio 14 - Serravalle
47899 San Marino, ITALY
Tel: +39 0549 872811
Fax: +39 0549 908304
www.libra-industriale.com

Liebherr

Postfach 16 58, Riss 1
Biberach, GERMANY
Tel: +49 7351 410
www.liebherr.com

Liugong Dressta

Machinery
ul. Kwiatkowskiego 1
37-450 Stalowa Wola
POLAND
Tel: +48 (0)15 813 5252
www.dressta.com

Liugong Machinery

1 Liutai Road
Liuzhou, Guangxi,
CHINA
Tel: +86 772 388 6124
Fax: +86 772 388 6122
www.liugong.com

Major Wire Industries

225 North Montcalm Blvd
Candiac (Quebec)
CANADA J5R 3L6
Tel: +1 450 659 7681
Fax: +1 450 659 5570
www.majorflexmat.com

Marini

Via Roma 50, Alfonsine
Ravenna, ITALY
Tel: +39 0544 88111
Fax: +39 0544 81341
www.marini-spa.com

Martimex Alfa

Cervenej Armady 1
036 65 Martin
SLOVAKIA
Tel: +42 1842 4239976
www.martimex.sk

Maskin Mekano

Box 9083,
550 09 Jönköping, SWEDEN
Tel: +46 36 31 74 00
Fax: +46 36 31 74 27
www.maskinmekano.se

McCloskey International

47 Moor Road
Coalisland, County Tyrone,
NORTHERN IRELAND
Tel: +44 (0)28 8774 0926
Fax: +44 (0)28 8774 7242
www.mccloskey
international.com

Mecalac

2 Parc des Glaisins
avenue du Pre de Challes,
F-74940 Annecy-le-Vieux,
FRANCE
Tel: +33 4 50 64 01 63
Fax: +33 4 50 64 02 79
www.mecalac.com

Merlo Spa Industria

Metalmeccanica
Via Nazionale 9
12020 S Defendente Di
Cervasca, Cuneo, ITALY
Tel: +39 0171 614111
Fax: +39 0171 684101
www.merlo.com

Messers

Via Arceviase 44, 60010
Casine di Ostra (AN), ITALY
Tel: +39 071 688771
Fax: +39 071 688586
www.messers.it

Metalgalante

via A Volta 2
Noventa di Piave
(Ve), ITALY
Tel: +39 0421 65191
Fax: +39 0421 658838
www.carmix.com

MFL

Werkstrasse 5,
8940 Liezen, AUSTRIA
Tel: +43 3612 2700
Fax: +43 3612 270 1595
www.mfl.at

Multi Marque Production Eng

Unit 33
Monckton Ind Estate,
Wakefield WF2 7AL
West Yorkshire, UK
Tel: +44 (0)1924 290231
Fax: +44 (0)1924 382241
www.multi-marque.co.uk

New Holland Construction

BP-119 91152, Etampes
Cedex, FRANCE
Tel: +33 1 608 07106
Fax: +33 1 608 07099
www.newholland.com

Nuova Ferrero Imp E

Macchine
Molino Vecchio 1
Altare (SV), ITALY
Tel: +39 0195 899104

Officine Meccaniche di Ponzano Veneto

Via Postumia 62
Ponzano Veneto (TV), ITALY
Tel: +39 0422 4413
Fax: +39 0441 499
www.omspa.it

Omes

V Nazioni Unite 20
10093 Colligio (To)
ITALY
Tel: +39 011 407 39 15
Fax: +39 011 411 00 55

Parker Plant

Canon Street
LE4 6GH Leicester, UK
Tel: +44 (0)116 266 5999
Fax: +44 (0)116 261 0812
www.parkerplant.com

Perlini

International
Via Vilanova 75
San Bonifacio (VR), ITALY
Tel: +39 0457 611333
Fax: +39 0457 612221
www.perlini-equipment.com

Pilot Crushtec

PO Box 30032,
Jet Park 1469, SOUTH AFRICA
Tel: +27 11 842 5600
Fax: +27 11 842 5610
www.pilotcrushtec.com

PMI

Viale dei Rivi 14, Gossolengo
(PC), Piacenza, ITALY
Tel: +39 0523 779121
Fax: +39 0523 778121
www.pmi-spa.com

Powerscreen International Distribution

200 Coalisland Road
Dungannon, County Tyrone,
BT71 4DR, UK
Tel: +44 (0)28 87 718518
Fax: +44 (0)28 87 747231
www.powerscreen.com

Pozzato

Via Piave 10,
I-36066 Sandrigo (VI), ITALY
Tel: +39 0444 659800
Fax: +39 0444 659452
www.pozzato.it

Ramtec

Veivikatu 4, 15230 Lahti,
FINLAND,
Tel: +358 207 424 530
www.ramtec.fi

Red Rhino Crushers (UK)

Alma Park Road, Grantham,
Lincolnshire, NG31 9SE, UK
Tel: +44 (0)1476 590790,
Fax: +44 (0)1476 593821,
www.redrhinocrushers.com

REV

Zona Industriale Loc Pantieri
47864 Ponte Messa doi
Pennabilli (Rn), ITALY
Tel: +39 541 928474
Fax: +39 541 928157
www.rev.it

Roadtec

800 Manufacturers Road
Chattanooga,
Tennessee 37405, USA
Tel: +1 423 265 0600
Fax: +1 423 267 7104
www.roadtec.com

Rockster Recycler

Wirtschaftszone West 2
Ennsdorf, A-4482, AUSTRIA
Tel: +43 7223 81000
Fax: +43 7223 81000 329
www.rockster.at

Rubble Master

Im Sudpark 196
Linz-Pichling A-4030, AUSTRIA
Tel: +43 732 73 71 17 102
www.rubblemaster.com

Sandvik Construction

Kungsbron 1, 111 22
Stockholm, SWEDEN
Tel: +46 (0)8 456 11 00
www.construction.sandvik.com

Sany

38F Jinmao Tower,
88 Century Boulevard,
Pudong, Shanghai, 200121,
CHINA
Tel: +86 731 85835199
www.sany.com.cn

SBM Mineral Processing

Oberweis 401
4664 Oberweis, AUSTRIA
Tel: +43 3612 2703 0
Fax: +43 3612 2703 8109
www.sbm-mp.at

Screen Machine

Industries, Inc
10685 Columbus Parkway
Etna, Ohio 43062 USA
Tel: +1 740 927 3464
Fax: +1 740 927 7110
www.screenmachine.com

Sennebogen

Hebbelstrasse 30,
Straubing,
GERMANY
Tel: +49 9421 540 0
Fax: +49 9421 43 882
www.sennebogen.de

Shantui Construction

Shantui International Industrial
Park
No 58 Highway G327
Jining, Shandong, CHINA
Tel: +86 537 290 9999
Fax: +86 537 2311219
www.shantui.com

Sieberttechnik

Platanenallee 46
Mülheim an der Ruhr,
GERMANY
Tel: +49 208 580100
Fax: +49 208 5801300
www.sieberttechnik.com

STC

Vosmatenweg 3
Coevorden,
Drenthe
NETHERLANDS
Tel: +31 524 525 375
Fax: +31 524 523 560
www.stcbv.nl

Sunward

Sunward Intelligent Industrial
Park, Xingsha, Changsha,
410100, CHINA
Tel: +86 731 8357 2828
www.sunward.com.cn

Takeuchi Mfg Co

205-3 Uwandaira Sakaki-Ma-
chi, Hanishina-gun, Nagano
JAPAN
Tel: +81 262 3311833
Fax: +81 262 41498108
www.takeuchi-mfg.co.jp

Telsmith

PO Box 539,
10910 North Industrial
Drive, Mequon, Wisconsin
53092, USA
Tel: +1 262 242 6600
www.telsmith.com

Terex Corporation

200 Nyala Farm Road
Westport, Connecticut
06880, USA
Tel: +1 203 222 7170
Fax: +1 203 222 7976
www.terex.com

Terex Finlay

Drumquin Road
Omagh, Co Tyrone,
BT78 5PN, UK
Tel: +44 (0)28 8241 8700
www.terex.com/mobile-
processing-equipment

Tesab Engineering

Unit 9, Gortrush Industrial
Estate, Omagh, Co Tyrone
BT78 5EJ, UK
Tel: +44 (0)28 82 252 781
Fax: +44 (0)28 82 252 801
www.tesab.com

Thwaites

Learnington Spa
Warwickshire, CV32 7NQ
UK
Tel: +44 (0)1926 422471
Fax: +44 (0)1926 337155
www.thwaitesdumpers.co.uk

Volvo Construction Equipment

Kuggen Floor 5
Lindholsplatsen 1
417 56 Gothenburg,
SWEDEN
Tel: +46 316 60 000
www.volvocem.com

Western Retek Europe

Am Steg 13b
Ried im Tyrol, AUSTRIA
Tel: +43 7588 61931
Fax: +43 7588 61931-90
www.westernretek.com

Winget

PO Box 41
Edgefold Industrial Estate
off Plodder Lane
Bolton BL4 0LS, UK
Tel: +44 (0)1204 854650
Fax: +44 (0)1204 854664
www.winget.co.uk

Wirtgen

Rheinhard-Wirtgen Strasse 2
53578 Windhagen,
GERMANY
Tel: +49 2645 131 0
Fax: +49 2645 131 392
www.wirtgen.de

Yanmar

1-32 Chayamachi
Kita-Ku, Osaka, JAPAN
Tel: +81 6 7636 9909
Fax: +81 6 6372 0010
www.yanmar.co.jp

Yanmar Construction Equipment Europe

25 Rue de la Tambourine
52100 Saint Dizier
FRANCE
Tel: +33 3 25 56 29 75
www.yanmarconstruction.eu

Yuchai Engineering Machinery Co

168 Tianqiao Road,
Yulin Guangxi, CHINA
Tel: +86 775 328 3502
Fax: +86 775 328 9578

AEDD (Spanish Association of Demolition Contractors)

Av Rey Juan Carlos 92, 4
28916 Leganes - Madrid,
SPAIN
Tel: +34 911 271 070
www.aedd.org

AEM (Association of Equipment Manufacturers)

6737 West Washington
Street, Suite 2400,
Milwaukee, Wisconsin,
53214-5647
USA
Tel: +1 (414) 272 0943
Fax: +1 (414) 272 1170
www.aem.org

Anmopyc

Paseo Independencia 24-26,
Pta 3 Of 4
Zaragoza, E-50003,
SPAIN
Tel: +34 976 227387
www.anmopyc.com

Asphalt Recycling & Reclaiming Association

800 Roosevelt Road
Building C-312
Glen Ellyn IL 60137
USA
Tel: +1 (630) 942 6578
www.arra.org

Associated Equipment Distributors

650 E Algonquin Road,
Suite 305, Schaumburg IL
60173
Tel: +1 (630) 574 0650
www.aednet.org

Associazione Nazionale Demolitori Italiani (NAD)

c/o Federvarie
Via Petitti, 16, I-20149
Milano, (MI),
ITALY
Tel: +39 02 3300 7345
Fax: +39 02 3300 5672
www.nad-italia.it

Bureau of International Recycling (BIR)

24 Avenue Franklin
Roosevelt, Brussels,
B-1050, BELGIUM
Tel: +32 2 6275770
Fax: +32 2 6275773
www.bir.org

CEA (Construction Equipment Association)

Airport House
Purley Way, Croydon
CRO OXZ, UK
Tel: +44 (0)20 8253 4502
www.thecea.org.uk

CECE Secretariat

Diamant Building
Boulevard Auguste Reyers
80, B-1030 Brussels
BELGIUM
Tel: +32 2 706 8226
Fax: +32 2 706 8210
www.cece.eu

Construction & Demolition Materials Recycling Association

35 E Wacker Drive
Suite 850
Chicago IL 60601 USA
Tel: +1 866 758 4721
Fax: +1 (312) 644 8557
www.cdrecycling.org

Danish Contractors Association (DCA)

Norre Voldgade 106,
1358 Copenhagen, DENMARK
Tel: 45 72 16 00 00
www.danskyggeri.dk

Deutscher Abbruchverband

Obrlander Ufer 180-182,
50968 Cologne, GERMANY
Tel: +49 022 367 9830
www.deutscher
abbruchverband.de

European Demolition Association (EDA)

Av. Rey Juan Carlos 92,
P.4 - Of. 10, Argalia
Building, Rabuso, 28916
Leganés, Madrid, SPAIN
Tel: +32 280 827 60
www.europeandemolition.org

Federatie der Algemene Bouwaannemers

Lombardstraat 42
1000 Brussels, BELGIUM
Tel: 32 2 511 6595
Fax: 32 2 514 1875
www.fegc.be

Federation International du Recyclage

Rue d'Arlon 21
1050 Brussels, BELGIUM
Tel: +32 3 203 4426
Fax: +32 3 233 5301
www.fir-recycling.com

European Construction Industry Federation (FIEC)

Avenue Louise 225
1050 Brussels, BELGIUM
Tel: +32 (2) 514 5535
Fax: +32 (2) 511 0276
www.fiec.eu

Institute of Demolition Engineers

1st 2nd 3rd Floor Eagle
Court, 130 High Street,
Rochester,
Kent ME1 1JT, UK
Tel: +44 (0)1634 790548
www.ide.org.uk

Institute of Makers of Explosives

1212 New York Avenue NW,
Suite 650
Washington DC 20036
USA
Tel: +1 202 429 9280
www.ime.org

International Society of Explosives Engineers

26500 Renaissance
Parkway
Cleveland, OH 44128
USA
Tel: +1 (440) 349 4400
Fax: +1 (440) 349 3788
www.isee.org

Japan Construction Mechanization Association

Kikai Shinko Kaikan
3-5-8 Shibakoen
Minato-Ku, Tokyo
105-0011,
JAPAN
Tel: +81 3 34331501
www.jcmanet.or.jp

KOCEMA

4th Floor Seodeok Building
1515-8 Seocho 3-dong,
Seochu-gu, 137-073
SOUTH KOREA
Tel: +82 2 2053 9300
Fax: +82 2 2052 9339

National Demolition Association

2025 M St. NW, Suite 800
Washington, DC 20036,
USA
Tel: +1 (202) 367 1152
www.demolition
association.com

National Federation of Demolition Contractors (NFDC)

Resurgam House
Paradise
Hemel Hempstead
Herts, HP2 4TF
UK
Tel: +44 (0)1442 217 144
www.demolition-nfdc.com

National Recycling Coalition

208 W Chester St
Lafayette, CO 80026
USA
Tel: +1 (202) 618 2107
www.nrcrecycles.org

VDMA

Lyoner Strasse 18, 65028
Frankfurt am Main
GERMANY
Tel: +49 69 66 03 0
www.vdma.org

Arbra Instruments

Vauxhall Industrial Estate,
Ruabon, Wrexham,
LL14 6HA, UK
Tel: +44 (0)1978 823900
Fax: +44 (0)1978 822913
www.arbra.co.uk

Austin Powder Co

25800 Science Park Drive
Cleveland, OH 44122,
USA
Tel: +1 (216) 464 2400
www.austinpowder.com

Cardem Demolition

7 Rue de l'Uranium, 63800
Bischheim,
FRANCE
Tel: +33 3 88 83 44 10
www.cardem.fr

Controlled Demolition Inc

13401 Still Haven Court,
Phoenix, Maryland
MD 21131
USA
Tel: +1 (410) 667 6610
Fax: +1 (410) 667 6624
www.controlled-demolition.com

DH Griffin Wrecking Co

4716 Hilltop Road
Greensboro, NC 27407
USA
Tel: +1 888 336 3366
www.dhgriffin.com

Demtech Services

6414 Capitol Avenue,
Diamond Springs
CA 95619
USA
Tel: +1 530 621 3200
www.demtech.com

Dore & Associates

Contracting
900 Harry Truman Parkway,
Bay City,
Michigan
MI 48706
USA
Tel: +1 800 684 8358
Fax: +1 989 684 6663
www.doreassoc.com

Dykon Explosive Demolition

8120 West 81st Street,
Tulsa
Oklahoma

OK 74131

USA
Tel: +1 (918) 592 2728
Fax: +1 (918) 592 5277
www.dykon-blasting.com

Dyno Nobel

2795 East Cottonwood
Parkway, Tower,
Salt Lake City, Utah UT
84144
USA
Tel: +1 800 732 7534
Fax: +46 587 25535
www.dynonobel.com

Gensco America

5307 Dividend Drive
Decatur, Georgia
GA 30035,
USA
Tel: +1 (770) 808 8711
www.genscoequip.com

Gillrange

1-2 North End
Swineshead
Boston
PE20 3LR
UK
Tel: +44 (0)1205 821010
Fax: +44 (0)1205 820316

www.gillrange.com

Gnat UK

Unit 5, Jackson Court,
Olympic Way, Gallowfields,
Richmond, North Yorkshire
DL10 4FD
UK
Tel: +44 (0)1748 826046
Fax: +44 (0)1748 826056
www.gnatuk.com

Instantel

309 Legget Drive
Ottawa, Ontario
K2K 3A3
CANADA
Tel: +1 613 592 4642
www.instantel.com

Nitro Consult

Tellusborgsvagen 36
Box 32058, Stockholm
SE 12611,
SWEDEN
Tel: +46 8 681 4300
www.nitroconsult.se

Orica

3301 East Quincy Avenue,
Watkins, Colorado,
CO 80127

USA

Tel: +1 (303) 268 5000
Fax: +1 (303) 265 5250

Precision Blasting Services

6990 Summers Road
Montville, Ohio
44064
USA
Tel: +1 (440) 474 6700
www.idc.pbs.com

Precision Explosives

2192 Seamans Neck Road,
Seaford, New York
NY 11783
USA
Tel: +1 (516) 826 8911
Fax: +1 (516) 826 8911

Safedem

8 Liff Road
Dundee
DD2 4TD
UK
Tel: +44 (0)1382 811 444
Fax: +44 (0)1382 610372
www.safdem.co.uk

THINK SAFETY WORK SAFELY



EST IN 1988

WE HAVE AN ESTABLISHED PROVEN TRACK RECORD FOR BEING COMPETITIVE, EFFICIENT AND COMPLETING ALL WORKS TO AWARD WINNING STANDARDS WITH A REPUTATION TO BE PROUD OF.

- ▶ DEMOLITION
- ▶ DISMANTLING
- ▶ SOFT STRIP/REFURBISHMENTS
- ▶ FAÇADE RETENTION
- ▶ SITE CLEARANCE/BULK EXCAVATION
- ▶ LAND RECLAMATION
- ▶ ASBESTOS SURVEYS
- ▶ ASBESTOS REMOVAL
- ▶ HAZARDOUS/CHEMICAL WASTE REMOVAL
- ▶ MOBILE CRUSHING & RECYCLING
- ▶ 24 HOUR EMERGENCY CALL OUT SERVICE
- ▶ HEALTH & SAFETY TRAINING & ADVICE
- ▶ CLIENT LIAISON & FEASIBILITY STUDIES

TEL 0121 333 7999

INFO@CITYDEMOLITION.CO.UK
WWW.CITYDEMOLITION.CO.UK



VISIT OUR WEBSITE TO DOWNLOAD OUR INTERACTIVE BROCHURE



WE ARE AN NQA ISO 9001, ISO 14001,
ISO OHSAS 18001 ACCREDITED COMPANY

Solid body. Solid power.



United. Inspired.

A solid investment.

Our Small Breakers are truly versatile. The slim and compact design makes them easy to handle and enables quick positioning. The range is perfect for working in confined spaces such as inside buildings, up along walls or in narrow trenches.

epiroc.com



 **Epiroc**